




## Feature:

- \*Designed in USA, Made in China
- \*Global Certificates.
- \*Case Material: PC, GE brand
- \* Fanless Design.
- \* Fully sealed by ultrasonic welding.
- \*Capacitor imported from Taiwan.
- \*AC inlet: IEC320-C6,C8, C14 and Fixed inlet optional.
- \*Protection: Over Load/Over Voltage/Over Current/Over Temp/Short-Circuit.
- \*LED indicator show work status
- \*Meet Energy Efficiency VI, Comply with CEC VI, DOE VI.
- \*Comply With The Newest Safety Standard: UL62368, EN62368,IEC62368,IEC60950,IEC61558,IEC60335.
- \*Brand Power Cord and DC Wire matched our products.
- \*Customized Label and DC connector.

## Electric Parameter:

DC Output	Output Voltage	5V	6V	9V	10V	12V	15V	18V	19V	20V	24V	28V	30V	36V	38V	42V	48V	54V	58V	
	Voltage Tolerance	±5%	±5%	±5%	±5%	±5%	±5%	±5%	±4%	±4%	±4%	±4%	±4%	±4%	±4%	±4%	±3%	±3%	±3%	
	Rated Current	7.5A	7.5A	7A	6A	5A	4A	3.5A	3.4A	3A	3.7A	2.3A	2A	1.8A	1.7A	1.5A	1.3A	1.2A	1A	
	Output Current	0-7.5A	0-7.5A	0-7A	0-6A	0-5A	0-4A	0-3.5A	0-3.4A	0-3A	0-3.7A	0-2.3A	0-2A	0-1.8A	0-1.7A	0-1.5A	0-1.3A	0-1.2A	0-1A	
	Ripple and Noise:	<150mVp-p																		
	LED Indicator	Green light when work																		
AC Input	Input Voltage Range	90~264Vac																		
	Rated Input Voltage:	100-240Vac																		
	Frequency Range:	47~62hz																		
	Input Current Max:	1.3A																		
	Inrush Current:	35A Max/240V																		
	Efficiency Min	86%	88%	88%	88%	88%	88%	88%	88%	88%	88%	88%	88%	88%	88%	88%	88%	88%	88%	88%
	No load Input Power	≤0.21W																		
	Leakage Current:	<0.25mA/240V																		
Protection	Over Load	When output power between 110%-135% of rated output power, turns to Hiccup mode.																		
	Over Voltage	When output voltage between 110%-135% of rated output voltage, turns to Hiccup mode.																		
	Over Current	Hiccup mode, recovers automatically after fault condition is removed																		
	Short Circuit	Hiccup mode, recovers automatically after fault condition is removed																		
Environment	Operating Temp:	0℃~+45℃																		
	Storage Temp:	-30℃~+70℃																		
	Relative Humidity:	10%~90%																		
	Vibration and Shock	Meet MIL-STD-810D																		
Safety	Safety Standard	IEC62368, IEC60065, IEC60950, IEC61558, IEC60335																		
	EMC/EMI	Meet FCC CLASS B, EN55022 CLASS B.																		
	EMS	EN61000—4—2/3/4/5																		
	Drop Testing	3 drops from 1 m height on a hard wooden surface																		
Life Time	MTBF	50000 Hours																		
	Warranty	3 years																		
Dimension	L116*W52*H33.8MM																			
Drawing	See next page																			
Packing	50 pcs/CTN, CTN size:L43*W38*H35CM																			
Color	Black or White																			


**Drawing(mm):**



## Model List:

### Model Name instruction:

E.G.: XSG xxx yyyy zz



Model No	AC Input	Power Rate	Output Voltage(V)	Output Current(mA)
XSG0505500	100 ~ 240	27.5	5	5500
XSG0506000	100 ~ 240	30.0	5	6000
XSG0506500	100 ~ 240	32.5	5	6500
XSG0507000	100 ~ 240	35.0	5	7000
XSG0507500	100 ~ 240	37.5	5	7500
XSG0605500	100 ~ 240	33.0	6	5500
XSG0606000	100 ~ 240	36.0	6	6000
XSG0606500	100 ~ 240	39.0	6	6500
XSG0607000	100 ~ 240	42.0	6	7000
XSG0607500	100 ~ 240	45.0	6	7500
XSG0655500	100 ~ 240	35.8	6.5	5500

XSG0656000	100 ~ 240	39.0	6.5	6000
XSG0656500	100 ~ 240	42.3	6.5	6500
XSG0657000	100 ~ 240	45.5	6.5	7000
XSG0657500	100 ~ 240	48.8	6.5	7500
XSG0724500	100 ~ 240	32.4	7.2	4500
XSG0725000	100 ~ 240	36.0	7.2	5000
XSG0725500	100 ~ 240	39.6	7.2	5500
XSG0726000	100 ~ 240	43.2	7.2	6000
XSG0726500	100 ~ 240	46.8	7.2	6500
XSG0727000	100 ~ 240	50.4	7.2	7000
XSG0727500	100 ~ 240	54.0	7.2	7500
XSG0734500	100-240	32.9	7.3	4500
XSG0735000	100-240	36.5	7.3	5000
XSG0735500	100-240	40.2	7.3	5500
XSG0736000	100-240	43.8	7.3	6000
XSG0736500	100-240	47.5	7.3	6500
XSG0737000	100-240	51.1	7.3	7000
XSG0737500	100-240	54.8	7.3	7500
XSG0754500	100 ~ 240	33.8	7.5	4500
XSG0755000	100 ~ 240	37.5	7.5	5000
XSG0755500	100 ~ 240	41.3	7.5	5500

XSG0756000	100 ~ 240	45.0	7.5	6000
XSG0756500	100 ~ 240	48.8	7.5	6500
XSG0757000	100 ~ 240	52.5	7.5	7000
XSG0757500	100 ~ 240	56.3	7.5	7500
XSG0844000	100 ~ 240	33.6	8.4	4000
XSG0844500	100 ~ 240	37.8	8.4	4500
XSG0845000	100 ~ 240	42.0	8.4	5000
XSG0845500	100 ~ 240	46.2	8.4	5500
XSG0846000	100 ~ 240	50.4	8.4	6000
XSG0846500	100 ~ 240	54.6	8.4	6500
XSG0847000	100 ~ 240	58.8	8.4	7000
XSG0904500	100 ~ 240	40.5	9	4500
XSG0905000	100 ~ 240	45.0	9	5000
XSG0905500	100 ~ 240	49.5	9	5500
XSG0906000	100 ~ 240	54.0	9	6000
XSG1004000	100 ~ 240	40.0	10	4000
XSG1004500	100 ~ 240	45.0	10	4500
XSG1005000	100 ~ 240	50.0	10	5000
XSG1005500	100 ~ 240	55.0	10	5500
XSG1006000	100 ~ 240	60.0	10	6000
XSG1103500	100 ~ 240	38.5	11	3500

XSG1104000	100 ~ 240	44.0	11	4000
XSG1104500	100 ~ 240	49.5	11	4500
XSG1105000	100 ~ 240	55.0	11	5000
XSG1203500	100 ~ 240	42.0	12	3500
XSG1204000	100 ~ 240	48.0	12	4000
XSG1204500	100 ~ 240	54.0	12	4500
XSG1205000	100 ~ 240	60.0	12	5000
XSG1263000	100 ~ 240	37.8	12.6	3000
XSG1263500	100 ~ 240	44.1	12.6	3500
XSG1264000	100 ~ 240	50.4	12.6	4000
XSG1264500	100 ~ 240	56.7	12.6	4500
XSG1265000	100 ~ 240	63.0	12.6	5000
XSG1303000	100 ~ 240	39.0	13	3000
XSG1303500	100 ~ 240	45.5	13	3500
XSG1304000	100 ~ 240	52.0	13	4000
XSG1304500	100 ~ 240	58.5	13	4500
XSG1353000	100 ~ 240	40.5	13.5	3000
XSG1353500	100 ~ 240	47.3	13.5	3500
XSG1354000	100 ~ 240	54.0	13.5	4000
XSG1354500	100 ~ 240	60.8	13.5	4500
XSG1403000	100 ~ 240	42.0	14	3000

XSG1403500	100 ~ 240	49.0	14	3500
XSG1404000	100 ~ 240	56.0	14	4000
XSG1404500	100 ~ 240	63.0	14	4500
XSG1463000	100 ~ 240	43.8	14.6	3000
XSG1463500	100 ~ 240	51.1	14.6	3500
XSG1464000	100 ~ 240	58.4	14.6	4000
XSG1464450	100 ~ 240	65.0	14.6	4450
XSG1502500	100 ~ 240	37.5	15	2500
XSG1503000	100 ~ 240	45.0	15	3000
XSG1503500	100 ~ 240	52.5	15	3500
XSG1504000	100 ~ 240	60.0	15	4000
XSG1602500	100 ~ 240	40.0	16	2500
XSG1603000	100 ~ 240	48.0	16	3000
XSG1603500	100 ~ 240	56.0	16	3500
XSG1603750	100 ~ 240	60.0	16	3750
XSG1604000	100 ~ 240	64.0	16	4000
XSG1604060	100 ~ 240	65.0	16	4060
XSG1622500	100 ~ 240	40.5	16.2	2500
XSG1623000	100 ~ 240	48.6	16.2	3000
XSG1623500	100 ~ 240	56.7	16.2	3500
XSG1623750	100 ~ 240	60.8	16.2	3750



XSG1624000	100 ~ 240	64.8	16.2	4000
XSG1682500	100 ~ 240	42.0	16.8	2500
XSG1683000	100 ~ 240	50.4	16.8	3000
XSG1683500	100 ~ 240	58.8	16.8	3500
XSG1683750	100 ~ 240	63.0	16.8	3750
XSG1702500	100 ~ 240	42.5	17	2500
XSG1703000	100 ~ 240	51.0	17	3000
XSG1703500	100 ~ 240	59.5	17	3500
XSG1703750	100 ~ 240	63.8	17	3750
XSG1802200	100 ~ 240	39.6	18	2200
XSG1802500	100 ~ 240	45.0	18	2500
XSG1803000	100 ~ 240	54.0	18	3000
XSG1803300	100 ~ 240	59.4	18	3300
XSG1803500	100 ~ 240	63.0	18	3500
XSG1832000	100 ~ 240	36.6	18.3	2000
XSG1832500	100 ~ 240	45.8	18.3	2500
XSG1833000	100 ~ 240	54.9	18.3	3000
XSG1833500	100 ~ 240	64.1	18.3	3500
XSG1902000	100 ~ 240	38.0	19	2000
XSG1902100	100 ~ 240	39.9	19	2100
XSG1902150	100 ~ 240	40.9	19	2150

XSG1902500	100 ~ 240	47.5	19	2500
XSG1903000	100 ~ 240	57.0	19	3000
XSG1903150	100 ~ 240	59.9	19	3150
XSG1903400	100 ~ 240	64.6	19	3400
XSG1903420	100 ~ 240	65.0	19	3420
XSG1903500	100 ~ 240	66.5	19	3500
XSG1952000	100 ~ 240	39.0	19.5	2000
XSG1952500	100 ~ 240	48.8	19.5	2500
XSG1953000	100 ~ 240	58.5	19.5	3000
XSG2002000	100 ~ 240	40.0	20	2000
XSG2002500	100 ~ 240	50.0	20	2500
XSG2002700	100 ~ 240	54.0	20	2700
XSG2003000	100 ~ 240	60.0	20	3000
XSG2003250	100 ~ 240	65.0	20	3250
XSG2102000	100 ~ 240	42.0	21	2000
XSG2102200	100 ~ 240	46.2	21	2200
XSG2102500	100 ~ 240	52.5	21	2500
XSG2103000	100 ~ 240	63.0	21	3000
XSG2201750	100 ~ 240	38.5	22	1750
XSG2202000	100 ~ 240	44.0	22	2000
XSG2202200	100 ~ 240	48.4	22	2200

XSG2202500	100 ~ 240	55.0	22	2500
XSG2202900	100 ~ 240	63.8	22	2900
XSG2203000	100 ~ 240	66.0	22	3000
XSG2251750	100 ~ 240	39.4	22.5	1750
XSG2252000	100 ~ 240	45.0	22.5	2000
XSG2252500	100 ~ 240	56.3	22.5	2500
XSG2252800	100 ~ 240	63.0	22.5	2800
XSG2401750	100 ~ 240	42.0	24	1750
XSG2402000	100 ~ 240	48.0	24	2000
XSG2402100	100 ~ 240	50.4	24	2100
XSG2402500	100 ~ 240	60.0	24	2500
XSG2402700	100 ~ 240	64.8	24	2700
XSG2521500	100 ~ 240	37.8	25.2	1500
XSG2522000	100 ~ 240	50.4	25.2	2000
XSG2522500	100 ~ 240	63.0	25.2	2500
XSG2551500	100 ~ 240	38.3	25.5	1500
XSG2552000	100 ~ 240	51.0	25.5	2000
XSG2552500	100 ~ 240	63.8	25.5	2500
XSG2701500	100 ~ 240	40.5	27	1500
XSG2702000	100 ~ 240	54.0	27	2000
XSG2702200	100 ~ 240	59.4	27	2200

XSG2702400	100 ~ 240	64.8	27	2400
XSG2801500	100 ~ 240	42.0	28	1500
XSG2802000	100 ~ 240	56.0	28	2000
XSG2802100	100 ~ 240	58.8	28	2100
XSG2901500	100 ~ 240	43.5	29	1500
XSG2902000	100 ~ 240	58.0	29	2000
XSG2902100	100 ~ 240	60.9	29	2100
XSG2921250	100 ~ 240	36.5	29.2	1250
XSG2921500	100 ~ 240	43.8	29.2	1500
XSG2922000	100 ~ 240	58.4	29.2	2000
XSG2922200	100 ~ 240	64.2	29.2	2200
XSG2941250	100 ~ 240	36.8	29.4	1250
XSG2941500	100 ~ 240	44.1	29.4	1500
XSG2941750	100 ~ 240	51.5	29.4	1750
XSG2942000	100 ~ 240	58.8	29.4	2000
XSG3001250	100 ~ 240	37.5	30	1250
XSG3001500	100 ~ 240	45.0	30	1500
XSG3001750	100 ~ 240	52.5	30	1750
XSG3002000	100 ~ 240	60.0	30	2000
XSG3201250	100 ~ 240	40.0	32	1250
XSG3201500	100 ~ 240	48.0	32	1500

XSG3201750	100 ~ 240	56.0	32	1750
XSG3202000	100 ~ 240	64.0	32	2000
XSG3301500	100 ~ 240	49.5	33	1500
XSG3301900	100 ~ 240	62.7	33	1900
XSG3302000	100 ~ 240	66.0	33	2000
XSG3361500	100 ~ 240	50.4	33.6	1500
XSG3361900	100 ~ 240	63.8	33.6	1900
XSG3401500	100 ~ 240	51.0	34	1500
XSG3401900	100 ~ 240	64.6	34	1900
XSG3501500	100 ~ 240	52.5	35	1500
XSG3501800	100 ~ 240	63.0	35	1800
XSG3601250	100 ~ 240	45.0	36	1250
XSG3601500	100 ~ 240	54.0	36	1500
XSG3601750	100 ~ 240	63.0	36	1750
XSG3601800	100 ~ 240	64.8	36	1800
XSG3651000	100 ~ 240	36.5	36.5	1000
XSG3651250	100 ~ 240	45.6	36.5	1250
XSG3651500	100 ~ 240	54.8	36.5	1500
XSG3651750	100 ~ 240	63.9	36.5	1750
XSG3781000	100 ~ 240	37.8	37.8	1000
XSG3781500	100 ~ 240	56.7	37.8	1500

XSG3781700	100 ~ 240	64.3	37.8	1700
XSG3801000	100 ~ 240	38.0	38	1000
XSG3801250	100 ~ 240	47.5	38	1250
XSG3801500	100 ~ 240	57.0	38	1500
XSG3801700	100 ~ 240	64.6	38	1700
XSG4021000	100 ~ 240	40.2	40.2	1000
XSG4021250	100 ~ 240	50.3	40.2	1250
XSG4021500	100 ~ 240	60.3	40.2	1500
XSG4200900	100 ~ 240	37.8	42	900
XSG4201000	100 ~ 240	42.0	42	1000
XSG4201250	100 ~ 240	52.5	42	1250
XSG4201500	100 ~ 240	63.0	42	1500
XSG4250900	100 ~ 240	38.3	42.5	900
XSG4251000	100 ~ 240	42.5	42.5	1000
XSG4251250	100 ~ 240	53.1	42.5	1250
XSG4251500	100 ~ 240	63.8	42.5	1500
XSG4300900	100 ~ 240	38.7	43	900
XSG4301000	100 ~ 240	43.0	43	1000
XSG4301250	100 ~ 240	53.8	43	1250
XSG4301500	100 ~ 240	64.5	43	1500
XSG4320900	100 ~ 240	38.9	43.2	900

XSG4321000	100 ~ 240	43.2	43.2	1000
XSG4321250	100 ~ 240	54.0	43.2	1250
XSG4321500	100 ~ 240	64.8	43.2	1500
XSG4380900	100 ~ 240	39.4	43.8	900
XSG4381000	100 ~ 240	43.8	43.8	1000
XSG4381250	100 ~ 240	54.8	43.8	1250
XSG4381450	100 ~ 240	63.5	43.8	1450
XSG4400900	100 ~ 240	39.6	44	900
XSG4401000	100 ~ 240	44.0	44	1000
XSG4401250	100 ~ 240	55.0	44	1250
XSG4401450	100 ~ 240	63.8	44	1450
XSG4500900	100 ~ 240	40.5	45	900
XSG4501000	100 ~ 240	45.0	45	1000
XSG4501250	100 ~ 240	56.3	45	1250
XSG4501400	100 ~ 240	63.0	45	1400
XSG4600800	100 ~ 240	36.8	46	800
XSG4600900	100 ~ 240	41.4	46	900
XSG4601000	100 ~ 240	46.0	46	1000
XSG4601250	100 ~ 240	57.5	46	1250
XSG4601400	100 ~ 240	64.4	46	1400
XSG4620800	100 ~ 240	37.0	46.2	800

XSG4620900	100 ~ 240	41.6	46.2	900
XSG4621000	100 ~ 240	46.2	46.2	1000
XSG4621250	100 ~ 240	57.8	46.2	1250
XSG4621400	100 ~ 240	64.7	46.2	1400
XSG4750800	100 ~ 240	38.0	47.5	800
XSG4750900	100 ~ 240	42.8	47.5	900
XSG4751000	100 ~ 240	47.5	47.5	1000
XSG4751350	100 ~ 240	64.1	47.5	1350
XSG4800800	100 ~ 240	38.4	48	800
XSG4800900	100 ~ 240	43.2	48	900
XSG4801000	100 ~ 240	48.0	48	1000
XSG4801200	100 ~ 240	57.6	48	1200
XSG4801250	100 ~ 240	60.0	48	1250
XSG4801350	100 ~ 240	64.8	48	1350
XSG5040800	100 ~ 240	40.3	50.4	800
XSG5040900	100 ~ 240	45.4	50.4	900
XSG5041000	100 ~ 240	50.4	50.4	1000
XSG5041250	100 ~ 240	63.0	50.4	1250
XSG5100800	100 ~ 240	40.8	51	800
XSG5100900	100 ~ 240	45.9	51	900
XSG5101000	100 ~ 240	51.0	51	1000



XSG5101200	100 ~ 240	61.2	51	1200
XSG5110800	100 ~ 240	40.9	51.1	800
XSG5110900	100 ~ 240	46.0	51.1	900
XSG5111000	100 ~ 240	51.1	51.1	1000
XSG5111200	100 ~ 240	61.3	51.1	1200
XSG5460700	100 ~ 240	38.2	54.6	700
XSG5460800	100 ~ 240	43.7	54.6	800
XSG5460900	100 ~ 240	49.1	54.6	900
XSG5461000	100 ~ 240	54.6	54.6	1000
XSG5461150	100 ~ 240	62.8	54.6	1150
XSG5480700	100 ~ 240	38.4	54.8	700
XSG5480800	100 ~ 240	43.8	54.8	800
XSG5480900	100 ~ 240	49.3	54.8	900
XSG5481000	100 ~ 240	54.8	54.8	1000
XSG5481150	100 ~ 240	63.0	54.8	1150
XSG5500700	100 ~ 240	38.5	55	700
XSG5500800	100 ~ 240	44.0	55	800
XSG5500900	100 ~ 240	49.5	55	900
XSG5501000	100 ~ 240	55.0	55	1000
XSG5501150	100 ~ 240	63.3	55	1150
XSG5600700	100 ~ 240	39.2	56	700

XSG5600800	100 ~ 240	44.8	56	800
XSG5600900	100 ~ 240	50.4	56	900
XSG5601000	100 ~ 240	56.0	56	1000
XSG5800700	100 ~ 240	40.6	58	700
XSG5800800	100 ~ 240	46.4	58	800
XSG5800900	100 ~ 240	52.2	58	900
XSG5801000	100 ~ 240	58.0	58	1000
XSG5801100	100 ~ 240	63.8	58	1100
XSG5840700	100 ~ 240	40.9	58.4	700
XSG5840800	100 ~ 240	46.7	58.4	800
XSG5840900	100 ~ 240	52.6	58.4	900
XSG5841000	100 ~ 240	58.4	58.4	1000
XSG5841100	100 ~ 240	64.2	58.4	1100
XSG5880700	100 ~ 240	41.2	58.8	700
XSG5880800	100 ~ 240	47.0	58.8	800
XSG5880900	100 ~ 240	52.9	58.8	900
XSG5881000	100 ~ 240	58.8	58.8	1000
XSG5881100	100 ~ 240	64.7	58.8	1100