




Feature:

- *Designed in USA, Made in China
- *Global Certificates.
- *Case Material: PC, GE brand, Fireproof class: UL94V-0.
- * Fanless Design.
- * Fully sealed by ultrasonic welding.
- *Capacitor Made in Taiwan.
- *AC inlet: IEC320-C6,C8, C14 and Fixed inlet optional.
- *Protection: Over Load/Over Voltage/Over Current/Over Temp/Short-Circuit.
- *LED indicator show work status
- *Meet Energy Efficiency VI, Comply with CEC VI, DOE VI, CoC V, GEMS.
- *Comply With The Newest Safety Standard: UL62368, EN62368, IEC62368, IEC60950, IEC61558, and IEC60335.
- *Brand Power Cord and DC Wire matched our products.
- *Support customized Label and DC connector.

Electric Parameter:

| | | | | | | | | | | | | | | | | | | | | |
|------------------|---|--|--------|------|------|------|------|--------|--------|------|--------|--------|------|--------|--------|--------|--------|--------|------|-----|
| DC Output | Output Voltage | 5V | 6V | 9V | 10V | 12V | 15V | 18V | 19V | 20V | 24V | 28V | 30V | 36V | 38V | 42V | 48V | 54V | 58V | |
| | Voltage Tolerance | ±5% | ±5% | ±5% | ±5% | ±5% | ±5% | ±5% | ±4% | ±4% | ±4% | ±4% | ±4% | ±4% | ±4% | ±4% | ±3% | ±3% | ±3% | |
| | Rated Current | 7.5A | 7.5A | 7A | 6A | 5A | 4A | 3.5A | 3.4A | 3A | 2.7A | 2.3A | 2A | 1.8A | 1.7A | 1.5A | 1.3A | 1.2A | 1A | |
| | Output Current | 0-7.5A | 0-7.5A | 0-7A | 0-6A | 0-5A | 0-4A | 0-3.5A | 0-3.4A | 0-3A | 0-2.7A | 0-2.3A | 0-2A | 0-1.8A | 0-1.7A | 0-1.5A | 0-1.3A | 0-1.2A | 0-1A | |
| | Ripple and Noise: | <150mVp-p | | | | | | | | | | | | | | | | | | |
| | LED Indicator | Green light when work | | | | | | | | | | | | | | | | | | |
| AC Input | Input Voltage Range | 90~264Vac | | | | | | | | | | | | | | | | | | |
| | Rated Input Voltage: | 100-240Vac | | | | | | | | | | | | | | | | | | |
| | Frequency Range: | 47~62hz | | | | | | | | | | | | | | | | | | |
| | Input Current Max: | 1.3A | | | | | | | | | | | | | | | | | | |
| | Inrush Current: | 35A Max/240V | | | | | | | | | | | | | | | | | | |
| | Efficiency Min | 86% | 88% | 88% | 88% | 88% | 88% | 88% | 88% | 88% | 88% | 88% | 88% | 88% | 88% | 88% | 88% | 88% | 88% | 88% |
| | No load Input Power | ≤0.21W | | | | | | | | | | | | | | | | | | |
| Leakage Current: | CLASS II: <0.25mA/240V; CLASS I: <0.75mA/240V | | | | | | | | | | | | | | | | | | | |
| Protection | Over Load | When output power between 110%-135% of rated output power, turns to Hiccup mode. | | | | | | | | | | | | | | | | | | |
| | Over Voltage | When output voltage between 110%-135% of rated output voltage, turns to Hiccup mode. | | | | | | | | | | | | | | | | | | |
| | Over Current | Hiccup mode, recovers automatically after fault condition is removed | | | | | | | | | | | | | | | | | | |
| | Short Circuit | Hiccup mode, recovers automatically after fault condition is removed | | | | | | | | | | | | | | | | | | |
| Environment | Operating Temp: | 0℃~+45℃ | | | | | | | | | | | | | | | | | | |
| | Storage Temp: | -30℃~+70℃ | | | | | | | | | | | | | | | | | | |
| | Relative Humidity: | 10%~90% | | | | | | | | | | | | | | | | | | |
| | Vibration and Shock | Meet MIL-STD-810D | | | | | | | | | | | | | | | | | | |
| Safety | Safety Standard | IEC62368, IEC60065, IEC60950, IEC61558, IEC60335 | | | | | | | | | | | | | | | | | | |
| | EMC/EMI | Meet FCC CLASS B, EN55022 CLASS B. | | | | | | | | | | | | | | | | | | |
| | EMS | EN61000—4—2/3/4/5 | | | | | | | | | | | | | | | | | | |
| | Drop Testing | 3 drops from 1 m height on a hard wooden surface | | | | | | | | | | | | | | | | | | |
| Life Time | MTBF | 50000 Hours | | | | | | | | | | | | | | | | | | |
| | Warranty | 2 years | | | | | | | | | | | | | | | | | | |
| Dimension | L116*W52*H33.8MM | | | | | | | | | | | | | | | | | | | |
| Drawing | See next page | | | | | | | | | | | | | | | | | | | |
| Packing | 50 pcs/CTN, CTN size:L43*W38*H35CM | | | | | | | | | | | | | | | | | | | |
| Color | Black or White | | | | | | | | | | | | | | | | | | | |


Drawing (mm):



Model List:

Model Name instruction:

E.G.: XSG xxx yyyy zz



| Model No | AC Input | Power Rate | Output Voltage(V) | Output Current(mA) |
|------------|-----------|------------|-------------------|--------------------|
| XSG0305500 | 100 ~ 240 | 16.5 | 3 | 5500 |
| XSG0306000 | 100 ~ 240 | 18 | 3 | 6000 |

| | | | | |
|------------|-----------|------|-----|------|
| XSG0306500 | 100 ~ 240 | 19.5 | 3 | 6500 |
| XSG0307000 | 100 ~ 240 | 21 | 3 | 7000 |
| XSG0307000 | 100 ~ 240 | 22.5 | 3 | 7500 |
| XSG0365500 | 100 ~ 240 | 19.8 | 3.6 | 5500 |
| XSG0366000 | 100 ~ 240 | 21.6 | 3.6 | 6000 |
| XSG0366500 | 100 ~ 240 | 23.4 | 3.6 | 6500 |
| XSG0367000 | 100 ~ 240 | 25.2 | 3.6 | 7000 |
| XSG0425500 | 100 ~ 240 | 23.1 | 4.2 | 5500 |
| XSG0426000 | 100 ~ 240 | 25.2 | 4.2 | 6000 |
| XSG0426500 | 100 ~ 240 | 27.3 | 4.2 | 6500 |
| XSG0427000 | 100 ~ 240 | 29.4 | 4.2 | 7000 |
| XSG0427500 | 100 ~ 240 | 31.5 | 4.2 | 7500 |
| XSG0505500 | 100 ~ 240 | 27.5 | 5 | 5500 |
| XSG0506000 | 100 ~ 240 | 30.0 | 5 | 6000 |
| XSG0506500 | 100 ~ 240 | 32.5 | 5 | 6500 |
| XSG0507000 | 100 ~ 240 | 35.0 | 5 | 7000 |
| XSG0507500 | 100 ~ 240 | 37.5 | 5 | 7500 |
| XSG0605500 | 100 ~ 240 | 33.0 | 6 | 5500 |
| XSG0606000 | 100 ~ 240 | 36.0 | 6 | 6000 |
| XSG0606500 | 100 ~ 240 | 39.0 | 6 | 6500 |
| XSG0607000 | 100 ~ 240 | 42.0 | 6 | 7000 |

| | | | | |
|------------|-----------|------|-----|------|
| XSG0607500 | 100 ~ 240 | 45.0 | 6 | 7500 |
| XSG0655500 | 100 ~ 240 | 35.8 | 6.5 | 5500 |
| XSG0656000 | 100 ~ 240 | 39.0 | 6.5 | 6000 |
| XSG0656500 | 100 ~ 240 | 42.3 | 6.5 | 6500 |
| XSG0657000 | 100 ~ 240 | 45.5 | 6.5 | 7000 |
| XSG0657500 | 100 ~ 240 | 48.8 | 6.5 | 7500 |
| XSG0724500 | 100 ~ 240 | 32.4 | 7.2 | 4500 |
| XSG0725000 | 100 ~ 240 | 36.0 | 7.2 | 5000 |
| XSG0725500 | 100 ~ 240 | 39.6 | 7.2 | 5500 |
| XSG0726000 | 100 ~ 240 | 43.2 | 7.2 | 6000 |
| XSG0726500 | 100 ~ 240 | 46.8 | 7.2 | 6500 |
| XSG0727000 | 100 ~ 240 | 50.4 | 7.2 | 7000 |
| XSG0727500 | 100 ~ 240 | 54.0 | 7.2 | 7500 |
| XSG0734500 | 100-240 | 32.9 | 7.3 | 4500 |
| XSG0735000 | 100-240 | 36.5 | 7.3 | 5000 |
| XSG0735500 | 100-240 | 40.2 | 7.3 | 5500 |
| XSG0736000 | 100-240 | 43.8 | 7.3 | 6000 |
| XSG0736500 | 100-240 | 47.5 | 7.3 | 6500 |
| XSG0737000 | 100-240 | 51.1 | 7.3 | 7000 |
| XSG0737500 | 100-240 | 54.8 | 7.3 | 7500 |
| XSG0754500 | 100 ~ 240 | 33.8 | 7.5 | 4500 |

| | | | | |
|------------|-----------|------|-----|------|
| XSG0755000 | 100 ~ 240 | 37.5 | 7.5 | 5000 |
| XSG0755500 | 100 ~ 240 | 41.3 | 7.5 | 5500 |
| XSG0756000 | 100 ~ 240 | 45.0 | 7.5 | 6000 |
| XSG0756500 | 100 ~ 240 | 48.8 | 7.5 | 6500 |
| XSG0757000 | 100 ~ 240 | 52.5 | 7.5 | 7000 |
| XSG0757500 | 100 ~ 240 | 56.3 | 7.5 | 7500 |
| XSG0844000 | 100 ~ 240 | 33.6 | 8.4 | 4000 |
| XSG0844500 | 100 ~ 240 | 37.8 | 8.4 | 4500 |
| XSG0845000 | 100 ~ 240 | 42.0 | 8.4 | 5000 |
| XSG0845500 | 100 ~ 240 | 46.2 | 8.4 | 5500 |
| XSG0846000 | 100 ~ 240 | 50.4 | 8.4 | 6000 |
| XSG0846500 | 100 ~ 240 | 54.6 | 8.4 | 6500 |
| XSG0847000 | 100 ~ 240 | 58.8 | 8.4 | 7000 |
| XSG0904500 | 100 ~ 240 | 40.5 | 9 | 4500 |
| XSG0905000 | 100 ~ 240 | 45.0 | 9 | 5000 |
| XSG0905500 | 100 ~ 240 | 49.5 | 9 | 5500 |
| XSG0906000 | 100 ~ 240 | 54.0 | 9 | 6000 |
| XSG1004000 | 100 ~ 240 | 40.0 | 10 | 4000 |
| XSG1004500 | 100 ~ 240 | 45.0 | 10 | 4500 |
| XSG1005000 | 100 ~ 240 | 50.0 | 10 | 5000 |
| XSG1005500 | 100 ~ 240 | 55.0 | 10 | 5500 |

| | | | | |
|------------|-----------|------|------|------|
| XSG1006000 | 100 ~ 240 | 60.0 | 10 | 6000 |
| XSG1103500 | 100 ~ 240 | 38.5 | 11 | 3500 |
| XSG1104000 | 100 ~ 240 | 44.0 | 11 | 4000 |
| XSG1104500 | 100 ~ 240 | 49.5 | 11 | 4500 |
| XSG1105000 | 100 ~ 240 | 55.0 | 11 | 5000 |
| XSG1203500 | 100 ~ 240 | 42.0 | 12 | 3500 |
| XSG1204000 | 100 ~ 240 | 48.0 | 12 | 4000 |
| XSG1204500 | 100 ~ 240 | 54.0 | 12 | 4500 |
| XSG1205000 | 100 ~ 240 | 60.0 | 12 | 5000 |
| XSG1263000 | 100 ~ 240 | 37.8 | 12.6 | 3000 |
| XSG1263500 | 100 ~ 240 | 44.1 | 12.6 | 3500 |
| XSG1264000 | 100 ~ 240 | 50.4 | 12.6 | 4000 |
| XSG1264500 | 100 ~ 240 | 56.7 | 12.6 | 4500 |
| XSG1265000 | 100 ~ 240 | 63.0 | 12.6 | 5000 |
| XSG1303000 | 100 ~ 240 | 39.0 | 13 | 3000 |
| XSG1303500 | 100 ~ 240 | 45.5 | 13 | 3500 |
| XSG1304000 | 100 ~ 240 | 52.0 | 13 | 4000 |
| XSG1304500 | 100 ~ 240 | 58.5 | 13 | 4500 |
| XSG1353000 | 100 ~ 240 | 40.5 | 13.5 | 3000 |
| XSG1353500 | 100 ~ 240 | 47.3 | 13.5 | 3500 |
| XSG1354000 | 100 ~ 240 | 54.0 | 13.5 | 4000 |

| | | | | |
|------------|-----------|------|------|------|
| XSG1354500 | 100 ~ 240 | 60.8 | 13.5 | 4500 |
| XSG1403000 | 100 ~ 240 | 42.0 | 14 | 3000 |
| XSG1403500 | 100 ~ 240 | 49.0 | 14 | 3500 |
| XSG1404000 | 100 ~ 240 | 56.0 | 14 | 4000 |
| XSG1404500 | 100 ~ 240 | 63.0 | 14 | 4500 |
| XSG1463000 | 100 ~ 240 | 43.8 | 14.6 | 3000 |
| XSG1463500 | 100 ~ 240 | 51.1 | 14.6 | 3500 |
| XSG1464000 | 100 ~ 240 | 58.4 | 14.6 | 4000 |
| XSG1464450 | 100 ~ 240 | 65.0 | 14.6 | 4450 |
| XSG1502500 | 100 ~ 240 | 37.5 | 15 | 2500 |
| XSG1503000 | 100 ~ 240 | 45.0 | 15 | 3000 |
| XSG1503500 | 100 ~ 240 | 52.5 | 15 | 3500 |
| XSG1504000 | 100 ~ 240 | 60.0 | 15 | 4000 |
| XSG1602500 | 100 ~ 240 | 40.0 | 16 | 2500 |
| XSG1603000 | 100 ~ 240 | 48.0 | 16 | 3000 |
| XSG1603500 | 100 ~ 240 | 56.0 | 16 | 3500 |
| XSG1603750 | 100 ~ 240 | 60.0 | 16 | 3750 |
| XSG1604000 | 100 ~ 240 | 64.0 | 16 | 4000 |
| XSG1604060 | 100 ~ 240 | 65.0 | 16 | 4060 |
| XSG1622500 | 100 ~ 240 | 40.5 | 16.2 | 2500 |
| XSG1623000 | 100 ~ 240 | 48.6 | 16.2 | 3000 |

| | | | | |
|------------|-----------|------|------|------|
| XSG1623500 | 100 ~ 240 | 56.7 | 16.2 | 3500 |
| XSG1623750 | 100 ~ 240 | 60.8 | 16.2 | 3750 |
| XSG1624000 | 100 ~ 240 | 64.8 | 16.2 | 4000 |
| XSG1682500 | 100 ~ 240 | 42.0 | 16.8 | 2500 |
| XSG1683000 | 100 ~ 240 | 50.4 | 16.8 | 3000 |
| XSG1683500 | 100 ~ 240 | 58.8 | 16.8 | 3500 |
| XSG1683750 | 100 ~ 240 | 63.0 | 16.8 | 3750 |
| XSG1702500 | 100 ~ 240 | 42.5 | 17 | 2500 |
| XSG1703000 | 100 ~ 240 | 51.0 | 17 | 3000 |
| XSG1703500 | 100 ~ 240 | 59.5 | 17 | 3500 |
| XSG1703750 | 100 ~ 240 | 63.8 | 17 | 3750 |
| XSG1802200 | 100 ~ 240 | 39.6 | 18 | 2200 |
| XSG1802500 | 100 ~ 240 | 45.0 | 18 | 2500 |
| XSG1803000 | 100 ~ 240 | 54.0 | 18 | 3000 |
| XSG1803300 | 100 ~ 240 | 59.4 | 18 | 3300 |
| XSG1803500 | 100 ~ 240 | 63.0 | 18 | 3500 |
| XSG1832000 | 100 ~ 240 | 36.6 | 18.3 | 2000 |
| XSG1832500 | 100 ~ 240 | 45.8 | 18.3 | 2500 |
| XSG1833000 | 100 ~ 240 | 54.9 | 18.3 | 3000 |
| XSG1833500 | 100 ~ 240 | 64.1 | 18.3 | 3500 |
| XSG1902000 | 100 ~ 240 | 38.0 | 19 | 2000 |

| | | | | |
|------------|-----------|------|------|------|
| XSG1902100 | 100 ~ 240 | 39.9 | 19 | 2100 |
| XSG1902150 | 100 ~ 240 | 40.9 | 19 | 2150 |
| XSG1902500 | 100 ~ 240 | 47.5 | 19 | 2500 |
| XSG1903000 | 100 ~ 240 | 57.0 | 19 | 3000 |
| XSG1903150 | 100 ~ 240 | 59.9 | 19 | 3150 |
| XSG1903400 | 100 ~ 240 | 64.6 | 19 | 3400 |
| XSG1903420 | 100 ~ 240 | 65.0 | 19 | 3420 |
| XSG1903500 | 100 ~ 240 | 66.5 | 19 | 3500 |
| XSG1952000 | 100 ~ 240 | 39.0 | 19.5 | 2000 |
| XSG1952500 | 100 ~ 240 | 48.8 | 19.5 | 2500 |
| XSG1953000 | 100 ~ 240 | 58.5 | 19.5 | 3000 |
| XSG2002000 | 100 ~ 240 | 40.0 | 20 | 2000 |
| XSG2002500 | 100 ~ 240 | 50.0 | 20 | 2500 |
| XSG2002700 | 100 ~ 240 | 54.0 | 20 | 2700 |
| XSG2003000 | 100 ~ 240 | 60.0 | 20 | 3000 |
| XSG2003250 | 100 ~ 240 | 65.0 | 20 | 3250 |
| XSG2102000 | 100 ~ 240 | 42.0 | 21 | 2000 |
| XSG2102200 | 100 ~ 240 | 46.2 | 21 | 2200 |
| XSG2102500 | 100 ~ 240 | 52.5 | 21 | 2500 |
| XSG2103000 | 100 ~ 240 | 63.0 | 21 | 3000 |
| XSG2201750 | 100 ~ 240 | 38.5 | 22 | 1750 |

| | | | | |
|------------|-----------|------|------|------|
| XSG2202000 | 100 ~ 240 | 44.0 | 22 | 2000 |
| XSG2202200 | 100 ~ 240 | 48.4 | 22 | 2200 |
| XSG2202500 | 100 ~ 240 | 55.0 | 22 | 2500 |
| XSG2202900 | 100 ~ 240 | 63.8 | 22 | 2900 |
| XSG2203000 | 100 ~ 240 | 66.0 | 22 | 3000 |
| XSG2251750 | 100 ~ 240 | 39.4 | 22.5 | 1750 |
| XSG2252000 | 100 ~ 240 | 45.0 | 22.5 | 2000 |
| XSG2252500 | 100 ~ 240 | 56.3 | 22.5 | 2500 |
| XSG2252800 | 100 ~ 240 | 63.0 | 22.5 | 2800 |
| XSG2401750 | 100 ~ 240 | 42.0 | 24 | 1750 |
| XSG2402000 | 100 ~ 240 | 48.0 | 24 | 2000 |
| XSG2402100 | 100 ~ 240 | 50.4 | 24 | 2100 |
| XSG2402500 | 100 ~ 240 | 60.0 | 24 | 2500 |
| XSG2402700 | 100 ~ 240 | 64.8 | 24 | 2700 |
| XSG2521500 | 100 ~ 240 | 37.8 | 25.2 | 1500 |
| XSG2522000 | 100 ~ 240 | 50.4 | 25.2 | 2000 |
| XSG2522500 | 100 ~ 240 | 63.0 | 25.2 | 2500 |
| XSG2551500 | 100 ~ 240 | 38.3 | 25.5 | 1500 |
| XSG2552000 | 100 ~ 240 | 51.0 | 25.5 | 2000 |
| XSG2552500 | 100 ~ 240 | 63.8 | 25.5 | 2500 |
| XSG2701500 | 100 ~ 240 | 40.5 | 27 | 1500 |

| | | | | |
|------------|-----------|------|------|------|
| XSG2702000 | 100 ~ 240 | 54.0 | 27 | 2000 |
| XSG2702200 | 100 ~ 240 | 59.4 | 27 | 2200 |
| XSG2702400 | 100 ~ 240 | 64.8 | 27 | 2400 |
| XSG2801500 | 100 ~ 240 | 42.0 | 28 | 1500 |
| XSG2802000 | 100 ~ 240 | 56.0 | 28 | 2000 |
| XSG2802100 | 100 ~ 240 | 58.8 | 28 | 2100 |
| XSG2901500 | 100 ~ 240 | 43.5 | 29 | 1500 |
| XSG2902000 | 100 ~ 240 | 58.0 | 29 | 2000 |
| XSG2902100 | 100 ~ 240 | 60.9 | 29 | 2100 |
| XSG2921250 | 100 ~ 240 | 36.5 | 29.2 | 1250 |
| XSG2921500 | 100 ~ 240 | 43.8 | 29.2 | 1500 |
| XSG2922000 | 100 ~ 240 | 58.4 | 29.2 | 2000 |
| XSG2922200 | 100 ~ 240 | 64.2 | 29.2 | 2200 |
| XSG2941250 | 100 ~ 240 | 36.8 | 29.4 | 1250 |
| XSG2941500 | 100 ~ 240 | 44.1 | 29.4 | 1500 |
| XSG2941750 | 100 ~ 240 | 51.5 | 29.4 | 1750 |
| XSG2942000 | 100 ~ 240 | 58.8 | 29.4 | 2000 |
| XSG3001250 | 100 ~ 240 | 37.5 | 30 | 1250 |
| XSG3001500 | 100 ~ 240 | 45.0 | 30 | 1500 |
| XSG3001750 | 100 ~ 240 | 52.5 | 30 | 1750 |
| XSG3002000 | 100 ~ 240 | 60.0 | 30 | 2000 |

| | | | | |
|------------|-----------|------|------|------|
| XSG3201250 | 100 ~ 240 | 40.0 | 32 | 1250 |
| XSG3201500 | 100 ~ 240 | 48.0 | 32 | 1500 |
| XSG3201750 | 100 ~ 240 | 56.0 | 32 | 1750 |
| XSG3202000 | 100 ~ 240 | 64.0 | 32 | 2000 |
| XSG3301500 | 100 ~ 240 | 49.5 | 33 | 1500 |
| XSG3301900 | 100 ~ 240 | 62.7 | 33 | 1900 |
| XSG3302000 | 100 ~ 240 | 66.0 | 33 | 2000 |
| XSG3361500 | 100 ~ 240 | 50.4 | 33.6 | 1500 |
| XSG3361900 | 100 ~ 240 | 63.8 | 33.6 | 1900 |
| XSG3401500 | 100 ~ 240 | 51.0 | 34 | 1500 |
| XSG3401900 | 100 ~ 240 | 64.6 | 34 | 1900 |
| XSG3501500 | 100 ~ 240 | 52.5 | 35 | 1500 |
| XSG3501800 | 100 ~ 240 | 63.0 | 35 | 1800 |
| XSG3601250 | 100 ~ 240 | 45.0 | 36 | 1250 |
| XSG3601500 | 100 ~ 240 | 54.0 | 36 | 1500 |
| XSG3601750 | 100 ~ 240 | 63.0 | 36 | 1750 |
| XSG3601800 | 100 ~ 240 | 64.8 | 36 | 1800 |
| XSG3651000 | 100 ~ 240 | 36.5 | 36.5 | 1000 |
| XSG3651250 | 100 ~ 240 | 45.6 | 36.5 | 1250 |
| XSG3651500 | 100 ~ 240 | 54.8 | 36.5 | 1500 |
| XSG3651750 | 100 ~ 240 | 63.9 | 36.5 | 1750 |

| | | | | |
|------------|-----------|------|------|------|
| XSG3781000 | 100 ~ 240 | 37.8 | 37.8 | 1000 |
| XSG3781500 | 100 ~ 240 | 56.7 | 37.8 | 1500 |
| XSG3781700 | 100 ~ 240 | 64.3 | 37.8 | 1700 |
| XSG3801000 | 100 ~ 240 | 38.0 | 38 | 1000 |
| XSG3801250 | 100 ~ 240 | 47.5 | 38 | 1250 |
| XSG3801500 | 100 ~ 240 | 57.0 | 38 | 1500 |
| XSG3801700 | 100 ~ 240 | 64.6 | 38 | 1700 |
| XSG4021000 | 100 ~ 240 | 40.2 | 40.2 | 1000 |
| XSG4021250 | 100 ~ 240 | 50.3 | 40.2 | 1250 |
| XSG4021500 | 100 ~ 240 | 60.3 | 40.2 | 1500 |
| XSG4200900 | 100 ~ 240 | 37.8 | 42 | 900 |
| XSG4201000 | 100 ~ 240 | 42.0 | 42 | 1000 |
| XSG4201250 | 100 ~ 240 | 52.5 | 42 | 1250 |
| XSG4201500 | 100 ~ 240 | 63.0 | 42 | 1500 |
| XSG4250900 | 100 ~ 240 | 38.3 | 42.5 | 900 |
| XSG4251000 | 100 ~ 240 | 42.5 | 42.5 | 1000 |
| XSG4251250 | 100 ~ 240 | 53.1 | 42.5 | 1250 |
| XSG4251500 | 100 ~ 240 | 63.8 | 42.5 | 1500 |
| XSG4300900 | 100 ~ 240 | 38.7 | 43 | 900 |
| XSG4301000 | 100 ~ 240 | 43.0 | 43 | 1000 |
| XSG4301250 | 100 ~ 240 | 53.8 | 43 | 1250 |

| | | | | |
|------------|-----------|------|------|------|
| XSG4301500 | 100 ~ 240 | 64.5 | 43 | 1500 |
| XSG4320900 | 100 ~ 240 | 38.9 | 43.2 | 900 |
| XSG4321000 | 100 ~ 240 | 43.2 | 43.2 | 1000 |
| XSG4321250 | 100 ~ 240 | 54.0 | 43.2 | 1250 |
| XSG4321500 | 100 ~ 240 | 64.8 | 43.2 | 1500 |
| XSG4380900 | 100 ~ 240 | 39.4 | 43.8 | 900 |
| XSG4381000 | 100 ~ 240 | 43.8 | 43.8 | 1000 |
| XSG4381250 | 100 ~ 240 | 54.8 | 43.8 | 1250 |
| XSG4381450 | 100 ~ 240 | 63.5 | 43.8 | 1450 |
| XSG4400900 | 100 ~ 240 | 39.6 | 44 | 900 |
| XSG4401000 | 100 ~ 240 | 44.0 | 44 | 1000 |
| XSG4401250 | 100 ~ 240 | 55.0 | 44 | 1250 |
| XSG4401450 | 100 ~ 240 | 63.8 | 44 | 1450 |
| XSG4500900 | 100 ~ 240 | 40.5 | 45 | 900 |
| XSG4501000 | 100 ~ 240 | 45.0 | 45 | 1000 |
| XSG4501250 | 100 ~ 240 | 56.3 | 45 | 1250 |
| XSG4501400 | 100 ~ 240 | 63.0 | 45 | 1400 |
| XSG4600800 | 100 ~ 240 | 36.8 | 46 | 800 |
| XSG4600900 | 100 ~ 240 | 41.4 | 46 | 900 |
| XSG4601000 | 100 ~ 240 | 46.0 | 46 | 1000 |
| XSG4601250 | 100 ~ 240 | 57.5 | 46 | 1250 |

| | | | | |
|------------|-----------|------|------|------|
| XSG4601400 | 100 ~ 240 | 64.4 | 46 | 1400 |
| XSG4620800 | 100 ~ 240 | 37.0 | 46.2 | 800 |
| XSG4620900 | 100 ~ 240 | 41.6 | 46.2 | 900 |
| XSG4621000 | 100 ~ 240 | 46.2 | 46.2 | 1000 |
| XSG4621250 | 100 ~ 240 | 57.8 | 46.2 | 1250 |
| XSG4621400 | 100 ~ 240 | 64.7 | 46.2 | 1400 |
| XSG4750800 | 100 ~ 240 | 38.0 | 47.5 | 800 |
| XSG4750900 | 100 ~ 240 | 42.8 | 47.5 | 900 |
| XSG4751000 | 100 ~ 240 | 47.5 | 47.5 | 1000 |
| XSG4751350 | 100 ~ 240 | 64.1 | 47.5 | 1350 |
| XSG4800800 | 100 ~ 240 | 38.4 | 48 | 800 |
| XSG4800900 | 100 ~ 240 | 43.2 | 48 | 900 |
| XSG4801000 | 100 ~ 240 | 48.0 | 48 | 1000 |
| XSG4801200 | 100 ~ 240 | 57.6 | 48 | 1200 |
| XSG4801250 | 100 ~ 240 | 60.0 | 48 | 1250 |
| XSG4801350 | 100 ~ 240 | 64.8 | 48 | 1350 |
| XSG5040800 | 100 ~ 240 | 40.3 | 50.4 | 800 |
| XSG5040900 | 100 ~ 240 | 45.4 | 50.4 | 900 |
| XSG5041000 | 100 ~ 240 | 50.4 | 50.4 | 1000 |
| XSG5041250 | 100 ~ 240 | 63.0 | 50.4 | 1250 |
| XSG5100800 | 100 ~ 240 | 40.8 | 51 | 800 |

| | | | | |
|------------|-----------|------|------|------|
| XSG5100900 | 100 ~ 240 | 45.9 | 51 | 900 |
| XSG5101000 | 100 ~ 240 | 51.0 | 51 | 1000 |
| XSG5101200 | 100 ~ 240 | 61.2 | 51 | 1200 |
| XSG5110800 | 100 ~ 240 | 40.9 | 51.1 | 800 |
| XSG5110900 | 100 ~ 240 | 46.0 | 51.1 | 900 |
| XSG5111000 | 100 ~ 240 | 51.1 | 51.1 | 1000 |
| XSG5111200 | 100 ~ 240 | 61.3 | 51.1 | 1200 |
| XSG5460700 | 100 ~ 240 | 38.2 | 54.6 | 700 |
| XSG5460800 | 100 ~ 240 | 43.7 | 54.6 | 800 |
| XSG5460900 | 100 ~ 240 | 49.1 | 54.6 | 900 |
| XSG5461000 | 100 ~ 240 | 54.6 | 54.6 | 1000 |
| XSG5461150 | 100 ~ 240 | 62.8 | 54.6 | 1150 |
| XSG5480700 | 100 ~ 240 | 38.4 | 54.8 | 700 |
| XSG5480800 | 100 ~ 240 | 43.8 | 54.8 | 800 |
| XSG5480900 | 100 ~ 240 | 49.3 | 54.8 | 900 |
| XSG5481000 | 100 ~ 240 | 54.8 | 54.8 | 1000 |
| XSG5481150 | 100 ~ 240 | 63.0 | 54.8 | 1150 |
| XSG5500700 | 100 ~ 240 | 38.5 | 55 | 700 |
| XSG5500800 | 100 ~ 240 | 44.0 | 55 | 800 |
| XSG5500900 | 100 ~ 240 | 49.5 | 55 | 900 |
| XSG5501000 | 100 ~ 240 | 55.0 | 55 | 1000 |

| | | | | |
|------------|-----------|------|------|------|
| XSG5501150 | 100 ~ 240 | 63.3 | 55 | 1150 |
| XSG5600700 | 100 ~ 240 | 39.2 | 56 | 700 |
| XSG5600800 | 100 ~ 240 | 44.8 | 56 | 800 |
| XSG5600900 | 100 ~ 240 | 50.4 | 56 | 900 |
| XSG5601000 | 100 ~ 240 | 56.0 | 56 | 1000 |
| XSG5800700 | 100 ~ 240 | 40.6 | 58 | 700 |
| XSG5800800 | 100 ~ 240 | 46.4 | 58 | 800 |
| XSG5800900 | 100 ~ 240 | 52.2 | 58 | 900 |
| XSG5801000 | 100 ~ 240 | 58.0 | 58 | 1000 |
| XSG5801100 | 100 ~ 240 | 63.8 | 58 | 1100 |
| XSG5840700 | 100 ~ 240 | 40.9 | 58.4 | 700 |
| XSG5840800 | 100 ~ 240 | 46.7 | 58.4 | 800 |
| XSG5840900 | 100 ~ 240 | 52.6 | 58.4 | 900 |
| XSG5841000 | 100 ~ 240 | 58.4 | 58.4 | 1000 |
| XSG5841100 | 100 ~ 240 | 64.2 | 58.4 | 1100 |
| XSG5880700 | 100 ~ 240 | 41.2 | 58.8 | 700 |
| XSG5880800 | 100 ~ 240 | 47.0 | 58.8 | 800 |
| XSG5880900 | 100 ~ 240 | 52.9 | 58.8 | 900 |
| XSG5881000 | 100 ~ 240 | 58.8 | 58.8 | 1000 |
| XSG5881100 | 100 ~ 240 | 64.7 | 58.8 | 1100 |