



## Feature:

- \*Used for 1-20 series lifepo4 battery pack.
- \*Designed in USA, Made in China
- \*Global Certificates.
- \*Case Material: PC, GE brand
- \* Fanless Design.
- \* Fully sealed by ultrasonic welding.
- \*Capacitor imported from Taiwan.
- \*Desktop type and Wall plug type(support Interchangeable plug, EU, UK, US, AU, KR, JP, and CN Optional).
- \*Protection: Over Load/Over Voltage/Over Current/Over Temp/Short-Circuit/Reverse Polarity/Anti-flow
- \*LED indicator show work status, Red for Charging, Green for Charged full.
- \*Comply With The Newest Safety Standard: IEC62368, IEC60950, IEC61558, IEC60335.
- \*Brand Power Cord and DC Wire matched our products.
- \*Customized Label and DC connector.

## Electric Parameter:


DC output	Battery Pack(series)	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
	Max Charging Voltage(V)	3.65	7.2	11	14.6	18.2	21.9	25.5	29.2	32.8	36.5	40.1	43.8	47.5	51.1	54.7	58.4	62	65.7	69.4	73	
	Voltage Tolerance	±5%	±5%	±5%	±5%	±5%	±5%	±5%	±5%	±5%	±4%	±4%	±4%	±4%	±3%	±3%	±3%	±3%	±3%	±2%	±2%	±2%
	Max Charging Current(A)	10	10	11	11	10	8.5	8	7	6	6	5	4.5	4	4	3.75	3.5	3.25	3	3	2.75	
	Charging Mode	Smart Three Stage Charging Mode																				
	LED Indicator	Red for Charging, Green for Charged full																				
AC Input	Input Voltage Range	90~264Vac																				
	Rated Input Voltage:	100-240Vac																				
	Frequency Range:	47~62hz																				
	Input Current Max:	0.6-3A																				
	Inrush Current:	35A Max/240V																				
	Leakage Current:	<0.25mA/240V																				
Protection	Over Load	When output power between 110%-135% of rated output power, turns to Hiccup mode.																				
	Over Voltage	When output voltage between 110%-135% of rated output voltage, turns to Hiccup mode.																				
	Short Circuit	Hiccup mode, recovers automatically after fault condition is removed																				
	Reverse Polarity	Stop working until fault condition is removed																				

	Anti-Flow	Prevent battery power flowing backward to charger.
Environment	Operating Temp:	0°C ~ +45°C
	Storage Temp:	-30°C ~ +70°C
	Relative Humidity:	10% ~ 90%
	Vibration and Shock	Meet MIL-STD-810D
Safety	Safety Standard	IEC62368, IEC60065, IEC60950, IEC61558, IEC60335
	EMC/EMI	Meet FCC CLASS B, EN55022 CLASS B.
	EMS	EN61000-4-2/3/4/5
	Drop Testing	3 drops from 1 m height on a hard wooden surface
	A Harmonic source	Pass
Life Time	MTBF	50000 Hours
	Warranty	3 years



If the Power Rate of battery charger drop into below range, please refer to related solution.

POWER RATE	5-15W	16-24W	25-36W	37-65W	66-100W	101-135W	136-220W
Recommend Solution	See drawing at page 3	See drawing at page 4	See drawing at page 5	See drawing at page 6	See drawing at page 6	See drawing at page 7	See drawing at page 7


## Drawing(mm): 5-15W




**Drawing(mm): 16-24W**




## Drawing(mm): 25-36W




## Drawing(mm): 37-65W




## Drawing(mm): 66-100W



## Drawing(mm): 101-135W




## Drawing(mm): 136-220W



## Model List:

### Model Name instruction:

E.G.: XSG xxx yyyy zz



Model No	AC Input	Power Rate	Output Voltage(V)	Output Current(mA)
XSG0360300	100 ~ 240	1.1	3.6	300
XSG0360400	100 ~ 240	1.4	3.6	400
XSG0360500	100 ~ 240	1.8	3.6	500
XSG0360600	100 ~ 240	2.2	3.6	600
XSG0360700	100 ~ 240	2.5	3.6	700
XSG0360800	100 ~ 240	2.9	3.6	800
XSG0360900	100 ~ 240	3.2	3.6	900
XSG0361000	100 ~ 240	3.6	3.6	1000
XSG0361500	100 ~ 240	5.4	3.6	1500
XSG0362000	100 ~ 240	7.2	3.6	2000
XSG0362500	100 ~ 240	9.0	3.6	2500
XSG0363000	100 ~ 240	10.8	3.6	3000



XSG0363500	100 ~ 240	12.6	3.6	3500
XSG0364000	100 ~ 240	14.4	3.6	4000
XSG0364500	100 ~ 240	16.2	3.6	4500
XSG0365000	100 ~ 240	18.0	3.6	5000
XSG0365500	100 ~ 240	19.8	3.6	5500
XSG0366000	100 ~ 240	21.6	3.6	6000
XSG0366500	100 ~ 240	23.4	3.6	6500
XSG0367000	100 ~ 240	25.2	3.6	7000
XSG0367500	100 ~ 240	27	3.6	7500
XSG0368000	100 ~ 240	28.8	3.6	8000
XSG0368500	100 ~ 240	30.6	3.6	8500
XSG0369000	100 ~ 240	32.4	3.6	9000
XSG0369500	100 ~ 240	34.2	3.6	9500
XSG03610000	100 ~ 240	36	3.6	10000
XSG0730300	100-240	2.2	7.3	300
XSG0730400	100-240	2.9	7.3	400
XSG0730500	100-240	3.7	7.3	500
XSG0730600	100-240	4.4	7.3	600
XSG0730700	100-240	5.1	7.3	700
XSG0730800	100-240	5.8	7.3	800
XSG0730900	100-240	6.6	7.3	900
XSG0731000	100-240	7.3	7.3	1000

XSG0731500	100-240	11.0	7.3	1500
XSG0732000	100-240	14.6	7.3	2000
XSG0732500	100-240	18.3	7.3	2500
XSG0733000	100-240	21.9	7.3	3000
XSG0733500	100-240	25.6	7.3	3500
XSG0734000	100-240	29.2	7.3	4000
XSG0734500	100-240	32.9	7.3	4500
XSG0735000	100-240	36.5	7.3	5000
XSG0735500	100-240	40.2	7.3	5500
XSG0736000	100-240	43.8	7.3	6000
XSG0736500	100-240	47.5	7.3	6500
XSG0737000	100-240	51.1	7.3	7000
XSG0737500	100-240	54.8	7.3	7500
XSG0738000	100-240	58.4	7.3	8000
XSG0738500	100-240	62.1	7.3	8500
XSG0739000	100-240	65.7	7.3	9000
XSG0739500	100-240	69.4	7.3	9500
XSG07310000	100-240	73.0	7.3	10000
XSG1100300	100 ~ 240	3.3	11	300
XSG1100400	100 ~ 240	4.4	11	400
XSG1100500	100 ~ 240	5.5	11	500
XSG1100600	100 ~ 240	6.6	11	600

XSG1100700	100 ~ 240	7.7	11	700
XSG1100800	100 ~ 240	8.8	11	800
XSG1100900	100 ~ 240	9.9	11	900
XSG1101000	100 ~ 240	11.0	11	1000
XSG1101500	100 ~ 240	16.5	11	1500
XSG1102000	100 ~ 240	22.0	11	2000
XSG1102500	100 ~ 240	27.5	11	2500
XSG1103000	100 ~ 240	33.0	11	3000
XSG1103500	100 ~ 240	38.5	11	3500
XSG1104000	100 ~ 240	44.0	11	4000
XSG1104500	100 ~ 240	49.5	11	4500
XSG1105000	100 ~ 240	55.0	11	5000
XSG1105500	100 ~ 240	60.5	11	5500
XSG1106000	100 ~ 240	66.0	11	6000
XSG1106500	100 ~ 240	71.5	11	6500
XSG1107000	100 ~ 240	77.0	11	7000
XSG1107500	100 ~ 240	82.5	11	7500
XSG1108000	100 ~ 240	88.0	11	8000
XSG1108500	100 ~ 240	93.5	11	8500
XSG1109000	100 ~ 240	99.0	11	9000
XSG1109500	100 ~ 240	104.5	11	9500
XSG11010000	100 ~ 240	110.0	11	10000

XSG11011000	100-240	121.0	11	11000
XSG1460300	100 ~ 240	4.4	14.6	300
XSG1460400	100 ~ 240	5.8	14.6	400
XSG1460500	100 ~ 240	7.3	14.6	500
XSG1460600	100 ~ 240	8.8	14.6	600
XSG1460700	100 ~ 240	10.2	14.6	700
XSG1460800	100 ~ 240	11.7	14.6	800
XSG1460900	100 ~ 240	13.1	14.6	900
XSG1461000	100 ~ 240	14.6	14.6	1000
XSG1461500	100 ~ 240	21.9	14.6	1500
XSG1462000	100 ~ 240	29.2	14.6	2000
XSG1462500	100 ~ 240	36.5	14.6	2500
XSG1463000	100 ~ 240	43.8	14.6	3000
XSG1463500	100 ~ 240	51.1	14.6	3500
XSG1464000	100 ~ 240	58.4	14.6	4000
XSG1464450	100 ~ 240	65.0	14.6	4450
XSG1464500	100 ~ 240	65.7	14.6	4500
XSG1465000	100 ~ 240	73.0	14.6	5000
XSG1465500	100 ~ 240	80.3	14.6	5500
XSG1466000	100 ~ 240	87.6	14.6	6000
XSG1466500	100 ~ 240	94.9	14.6	6500
XSG1467000	100 ~ 240	102.2	14.6	7000

XSG1467500	100 ~ 240	109.5	14.6	7500
XSG1468000	100 ~ 240	116.8	14.6	8000
XSG1468500	100 ~ 240	124.1	14.6	8500
XSG1469000	100 ~ 240	131.4	14.6	9000
XSG1469500	100 ~ 241	138.7	14.6	9500
XSG14610000	100 ~ 240	146.0	14.6	10000
XSG14611000	100-240	160.6	14.6	11000
XSG1830300	100 ~ 240	5.5	18.3	300
XSG1830400	100 ~ 240	7.3	18.3	400
XSG1830500	100 ~ 240	9.2	18.3	500
XSG1830600	100 ~ 240	11.0	18.3	600
XSG1830700	100 ~ 240	12.8	18.3	700
XSG1830800	100 ~ 240	14.6	18.3	800
XSG1830900	100 ~ 240	16.5	18.3	900
XSG1831000	100 ~ 240	18.3	18.3	1000
XSG1831200	100 ~ 240	22.0	18.3	1200
XSG1831500	100 ~ 240	27.5	18.3	1500
XSG1831750	100 ~ 240	32.0	18.3	1750
XSG1832000	100 ~ 240	36.6	18.3	2000
XSG1832500	100 ~ 240	45.8	18.3	2500
XSG1833000	100 ~ 240	54.9	18.3	3000
XSG1833500	100 ~ 240	64.1	18.3	3500

XSG1834000	100 ~ 240	73.2	18.3	4000
XSG1834500	100 ~ 240	82.4	18.3	4500
XSG1835000	100 ~ 240	91.5	18.3	5000
XSG1835500	100 ~ 240	100.7	18.3	5500
XSG1836000	100 ~ 240	109.8	18.3	6000
XSG1836500	100 ~ 240	119.0	18.3	6500
XSG1837000	100 ~ 240	128.1	18.3	7000
XSG1837500	100 ~ 240	137.3	18.3	7500
XSG1838000	100 ~ 240	146.4	18.3	8000
XSG1838500	100 ~ 240	155.6	18.3	8500
XSG1839000	100 ~ 240	164.7	18.3	9000
XSG1839500	100 ~ 240	173.9	18.3	9500
XSG18310000	100-240	183.0	18.3	10000
XSG2200300	100 ~ 240	6.6	22	300
XSG2200400	100 ~ 240	8.8	22	400
XSG2200500	100 ~ 240	11.0	22	500
XSG2200600	100 ~ 240	13.2	22	600
XSG2200700	100 ~ 240	15.4	22	700
XSG2200800	100 ~ 240	17.6	22	800
XSG2200900	100 ~ 240	19.8	22	900
XSG2201000	100 ~ 240	22.0	22	1000
XSG2201250	100 ~ 240	27.5	22	1250

XSG2201500	100 ~ 240	33.0	22	1500
XSG2201750	100 ~ 240	38.5	22	1750
XSG2202000	100 ~ 240	44.0	22	2000
XSG2202200	100 ~ 240	48.4	22	2200
XSG2202500	100 ~ 240	55.0	22	2500
XSG2202900	100 ~ 240	63.8	22	2900
XSG2203000	100 ~ 240	66.0	22	3000
XSG2203500	100 ~ 240	77.0	22	3500
XSG2204000	100 ~ 240	88.0	22	4000
XSG2204500	100 ~ 240	99.0	22	4500
XSG2205000	100 ~ 240	110.0	22	5000
XSG2205500	100-240	121.0	22	5500
XSG2206000	100 ~ 240	132.0	22	6000
XSG2206500	100 ~ 240	143.0	22	6500
XSG2207000	100 ~ 240	154.0	22	7000
XSG2207500	100 ~ 240	165.0	22	7500
XSG2208000	100 ~ 240	176.0	22	8000
XSG2208500	100 ~ 240	187.0	22	8500
XSG2550300	100 ~ 240	7.7	25.5	300
XSG2550400	100 ~ 240	10.2	25.5	400
XSG2550500	100 ~ 240	12.8	25.5	500
XSG2550600	100 ~ 240	15.3	25.5	600

XSG2550700	100 ~ 240	17.9	25.5	700
XSG2550800	100 ~ 240	20.4	25.5	800
XSG2550900	100 ~ 240	23.0	25.5	900
XSG2551000	100 ~ 240	25.5	25.5	1000
XSG2551250	100 ~ 240	31.9	25.5	1250
XSG2551500	100 ~ 240	38.3	25.5	1500
XSG2552000	100 ~ 240	51.0	25.5	2000
XSG2552500	100 ~ 240	63.8	25.5	2500
XSG2553000	100 ~ 240	76.5	25.5	3000
XSG2553500	100 ~ 240	89.3	25.5	3500
XSG2554000	100 ~ 240	102.0	25.5	4000
XSG2554500	100 ~ 240	114.8	25.5	4500
XSG2555000	100 ~ 240	127.5	25.5	5000
XSG2555500	100-240	140.3	25.5	5500
XSG2556000	100 ~ 240	153.0	25.5	6000
XSG2556500	100 ~ 240	165.8	25.5	6500
XSG2557000	100 ~ 240	178.5	25.5	7000
XSG2557500	100 ~ 240	191.3	25.5	7500
XSG2558000	100 ~ 240	204.0	25.5	8000
XSG2920300	100 ~ 240	8.8	29.2	300
XSG2920400	100 ~ 240	11.7	29.2	400
XSG2920500	100 ~ 240	14.6	29.2	500



XSG2920600	100 ~ 240	17.5	29.2	600
XSG2920700	100 ~ 240	20.4	29.2	700
XSG2920800	100 ~ 240	23.4	29.2	800
XSG2920900	100 ~ 240	26.3	29.2	900
XSG2921000	100 ~ 240	29.2	29.2	1000
XSG2921250	100 ~ 240	36.5	29.2	1250
XSG2921500	100 ~ 240	43.8	29.2	1500
XSG2922000	100 ~ 240	58.4	29.2	2000
XSG2922200	100 ~ 240	64.2	29.2	2200
XSG2922500	100 ~ 240	73.0	29.2	2500
XSG2923000	100 ~ 240	87.6	29.2	3000
XSG2923500	100 ~ 240	102.2	29.2	3500
XSG2924000	100 ~ 240	116.8	29.2	4000
XSG2924500	100 ~ 240	131.4	29.2	4500
XSG2925000	100 ~ 240	146.0	29.2	5000
XSG2925500	100 ~ 240	160.6	29.2	5500
XSG2926000	100 ~ 240	175.2	29.2	6000
XSG2926500	100 ~ 240	189.8	29.2	6500
XSG2927000	100 ~ 240	204.4	29.2	7000
XSG3300300	100 ~ 240	9.9	33	300
XSG3300400	100 ~ 240	13.2	33	400
XSG3300500	100 ~ 240	16.5	33	500

XSG3300600	100 ~ 240	19.8	33	600
XSG3300700	100 ~ 240	23.1	33	700
XSG3300800	100 ~ 240	26.4	33	800
XSG3300900	100 ~ 240	29.7	33	900
XSG3301000	100 ~ 240	33.0	33	1000
XSG3301500	100 ~ 240	49.5	33	1500
XSG3301900	100 ~ 240	62.7	33	1900
XSG3302000	100 ~ 240	66.0	33	2000
XSG3302500	100 ~ 240	82.5	33	2500
XSG3302750	100 ~ 240	90.8	33	2750
XSG3303000	100 ~ 240	99.0	33	3000
XSG3303250	100 ~ 240	107.3	33	3250
XSG3303500	100 ~ 240	115.5	33	3500
XSG3304000	100 ~ 240	132.0	33	4000
XSG3304500	100 ~ 240	148.5	33	4500
XSG3305000	100 ~ 240	165.0	33	5000
XSG3305500	100 ~ 240	181.5	33	5500
XSG3306000	100 ~ 240	198.0	33	6000
XSG3650300	100 ~ 240	11.0	36.5	300
XSG3650400	100 ~ 240	14.6	36.5	400
XSG3650500	100 ~ 240	18.3	36.5	500
XSG3650600	100 ~ 240	21.9	36.5	600

XSG3650700	100 ~ 240	25.6	36.5	700
XSG3650800	100 ~ 240	29.2	36.5	800
XSG3650900	100 ~ 240	32.9	36.5	900
XSG3651000	100 ~ 240	36.5	36.5	1000
XSG3651250	100 ~ 240	45.6	36.5	1250
XSG3651500	100 ~ 240	54.8	36.5	1500
XSG3651750	100 ~ 240	63.9	36.5	1750
XSG3652000	100 ~ 240	73.0	36.5	2000
XSG3652500	100 ~ 240	91.3	36.5	2500
XSG3653000	100 ~ 240	109.5	36.5	3000
XSG3653500	100 ~ 240	127.8	36.5	3500
XSG3654000	100 ~ 240	146.0	36.5	4000
XSG3654500	100 ~ 240	164.3	36.5	4500
XSG3655000	100 ~ 240	182.5	36.5	5000
XSG3655500	100 ~ 240	200.8	36.5	5500
XSG3656000	100 ~ 240	219.0	36.5	6000
XSG4020300	100 ~ 240	12.1	40.2	300
XSG4020400	100 ~ 240	16.1	40.2	400
XSG4020500	100 ~ 240	20.1	40.2	500
XSG4020600	100 ~ 240	24.1	40.2	600
XSG4020700	100 ~ 240	28.1	40.2	700
XSG4020800	100 ~ 240	32.2	40.2	800

XSG4020900	100 ~ 240	36.2	40.2	900
XSG4021000	100 ~ 240	40.2	40.2	1000
XSG4021250	100 ~ 240	50.3	40.2	1250
XSG4021500	100 ~ 240	60.3	40.2	1500
XSG4022000	100 ~ 240	80.4	40.2	2000
XSG4022500	100 ~ 240	100.5	40.2	2500
XSG4023000	100 ~ 240	120.6	40.2	3000
XSG4023500	100 ~ 240	140.7	40.2	3500
XSG4024000	100 ~ 240	160.8	40.2	4000
XSG4024500	100 ~ 240	180.9	40.2	4500
XSG4025000	100 ~ 240	201.0	40.2	5000
XSG4380300	100 ~ 240	13.1	43.8	300
XSG4380400	100 ~ 240	17.5	43.8	400
XSG4380500	100 ~ 240	21.9	43.8	500
XSG4380600	100 ~ 240	26.3	43.8	600
XSG4380700	100 ~ 240	30.7	43.8	700
XSG4380800	100 ~ 240	35.0	43.8	800
XSG4380900	100 ~ 240	39.4	43.8	900
XSG4381000	100 ~ 240	43.8	43.8	1000
XSG4381250	100 ~ 240	54.8	43.8	1250
XSG4381450	100 ~ 240	63.5	43.8	1450
XSG4381500	100 ~ 240	65.7	43.8	1500

XSG4382000	100 ~ 240	87.6	43.8	2000
XSG4382500	100 ~ 240	109.5	43.8	2500
XSG4382700	100 ~ 240	118.3	43.8	2700
XSG4383000	100 ~ 240	131.4	43.8	3000
XSG4383500	100 ~ 240	153.3	43.8	3500
XSG4384000	100 ~ 240	175.2	43.8	4000
XSG4384500	100 ~ 240	197.1	43.8	4500
XSG4750300	100 ~ 240	14.3	47.5	300
XSG4750400	100 ~ 240	19.0	47.5	400
XSG4750500	100 ~ 240	23.8	47.5	500
XSG4750600	100 ~ 240	28.5	47.5	600
XSG4750700	100 ~ 240	33.3	47.5	700
XSG4750800	100 ~ 240	38.0	47.5	800
XSG4750900	100 ~ 240	42.8	47.5	900
XSG4751000	100 ~ 240	47.5	47.5	1000
XSG4751350	100 ~ 240	64.1	47.5	1350
XSG4751500	100 ~ 240	71.3	47.5	1500
XSG4752000	100 ~ 240	95.0	47.5	2000
XSG4752500	100 ~ 240	118.8	47.5	2500
XSG4752750	100 ~ 240	130.6	47.5	2750
XSG4753000	100 ~ 240	142.5	47.5	3000
XSG4753500	100 ~ 240	166.3	47.5	3500

XSG4754000	100 ~ 240	190.0	47.5	4000
XSG5100300	100 ~ 240	15.3	51	300
XSG5100400	100 ~ 240	20.4	51	400
XSG5100500	100 ~ 240	25.5	51	500
XSG5100600	100 ~ 240	30.6	51	600
XSG5100700	100 ~ 240	35.7	51	700
XSG5100800	100 ~ 240	40.8	51	800
XSG5100900	100 ~ 240	45.9	51	900
XSG5101000	100 ~ 240	51.0	51	1000
XSG5101200	100 ~ 240	61.2	51	1200
XSG5101500	100 ~ 240	76.5	51	1500
XSG5102000	100 ~ 240	102.0	51	2000
XSG5102500	100 ~ 240	127.5	51	2500
XSG5102750	100 ~ 240	140.3	51	2750
XSG5103000	100 ~ 240	153.0	51	3000
XSG5103250	100 ~ 240	165.8	51	3250
XSG5103500	100 ~ 240	178.5	51	3500
XSG5103750	100 ~ 240	191.3	51	3750
XSG5104000	100 ~ 240	204.0	51	4000
XSG5480300	100 ~ 240	16.4	54.8	300
XSG5480400	100 ~ 240	21.9	54.8	400
XSG5480500	100 ~ 240	27.4	54.8	500

XSG5480600	100 ~ 240	32.9	54.8	600
XSG5480700	100 ~ 240	38.4	54.8	700
XSG5480800	100 ~ 240	43.8	54.8	800
XSG5480900	100 ~ 240	49.3	54.8	900
XSG5481000	100 ~ 240	54.8	54.8	1000
XSG5481150	100 ~ 240	63.0	54.8	1150
XSG5481250	100 ~ 240	68.5	54.8	1250
XSG5481500	100 ~ 240	82.2	54.8	1500
XSG5482000	100 ~ 240	109.6	54.8	2000
XSG5482500	100 ~ 240	137.0	54.8	2500
XSG5482750	100 ~ 240	150.7	54.8	2750
XSG5483000	100 ~ 240	164.4	54.8	3000
XSG5483250	100 ~ 240	178.1	54.8	3250
XSG5483500	100 ~ 240	191.8	54.8	3500
XSG5483750	100 ~ 240	205.5	54.8	3750
XSG5840300	100 ~ 240	17.5	58.4	300
XSG5840400	100 ~ 240	23.4	58.4	400
XSG5840500	100 ~ 240	29.2	58.4	500
XSG5840600	100 ~ 240	35.0	58.4	600
XSG5840700	100 ~ 240	40.9	58.4	700
XSG5840800	100 ~ 240	46.7	58.4	800
XSG5840900	100 ~ 240	52.6	58.4	900

XSG5841000	100 ~ 240	58.4	58.4	1000
XSG5841100	100 ~ 240	64.2	58.4	1100
XSG5841250	100 ~ 240	73.0	58.4	1250
XSG5841500	100 ~ 240	87.6	58.4	1500
XSG5841750	100 ~ 240	102.2	58.4	1750
XSG5842000	100 ~ 240	116.8	58.4	2000
XSG5842250	100 ~ 240	131.4	58.4	2250
XSG5842500	100 ~ 240	146.0	58.4	2500
XSG5842750	100 ~ 240	160.6	58.4	2750
XSG5843000	100 ~ 240	175.2	58.4	3000
XSG5843250	100 ~ 240	189.8	58.4	3250
XSG5843500	100 ~ 240	204.4	58.4	3500
XSG6200300	100 ~ 240	18.6	62	300
XSG6200400	100 ~ 240	24.8	62	400
XSG6200500	100 ~ 240	31.0	62	500
XSG6200600	100 ~ 240	37.2	62	600
XSG6200700	100 ~ 240	43.4	62	700
XSG6200800	100 ~ 240	49.6	62	800
XSG6200900	100 ~ 240	55.8	62	900
XSG6201000	100 ~ 240	62.0	62	1000
XSG6201250	100 ~ 240	77.5	62	1250
XSG6201500	100 ~ 240	93.0	62	1500



XSG6201750	100 ~ 240	108.5	62	1750
XSG6202000	100 ~ 240	124.0	62	2000
XSG6202250	100 ~ 240	139.5	62	2250
XSG6202500	100 ~ 240	155.0	62	2500
XSG6202750	100 ~ 240	170.5	62	2750
XSG6203000	100 ~ 240	186.0	62	3000
XSG6203250	100 ~ 240	201.5	62	3250
XSG6570300	100 ~ 240	19.7	65.7	300
XSG6570400	100 ~ 240	26.3	65.7	400
XSG6570500	100 ~ 240	32.9	65.7	500
XSG6570600	100 ~ 240	39.4	65.7	600
XSG6570700	100 ~ 240	46.0	65.7	700
XSG6570800	100 ~ 240	52.6	65.7	800
XSG6570900	100 ~ 240	59.1	65.7	900
XSG6571000	100 ~ 240	65.7	65.7	1000
XSG6571250	100 ~ 240	82.1	65.7	1250
XSG6571500	100 ~ 240	98.6	65.7	1500
XSG6571750	100 ~ 240	115.0	65.7	1750
XSG6572000	100 ~ 240	131.4	65.7	2000
XSG6572250	100 ~ 240	147.8	65.7	2250
XSG6572500	100 ~ 240	164.3	65.7	2500
XSG6572750	100 ~ 240	180.7	65.7	2750

XSG6573000	100 ~ 240	197.1	65.7	3000
XSG6940300	100 ~ 240	20.8	69.4	300
XSG6940400	100 ~ 240	27.8	69.4	400
XSG6940500	100 ~ 240	34.7	69.4	500
XSG6940600	100 ~ 240	41.6	69.4	600
XSG6940700	100 ~ 240	48.6	69.4	700
XSG6940800	100 ~ 240	55.5	69.4	800
XSG6940900	100 ~ 240	62.5	69.4	900
XSG6941000	100 ~ 240	69.4	69.4	1000
XSG6941250	100 ~ 240	86.8	69.4	1250
XSG6941500	100 ~ 240	104.1	69.4	1500
XSG6941750	100 ~ 240	121.5	69.4	1750
XSG6942000	100 ~ 240	138.8	69.4	2000
XSG6942250	100 ~ 240	156.2	69.4	2250
XSG6942500	100 ~ 240	173.5	69.4	2500
XSG6942750	100 ~ 240	190.9	69.4	2750
XSG6943000	100 ~ 240	208.2	69.4	3000
XSG7300300	100 ~ 240	21.9	73	300
XSG7300400	100 ~ 240	29.2	73	400
XSG7300500	100 ~ 240	36.5	73	500
XSG7300600	100 ~ 240	43.8	73	600
XSG7300700	100 ~ 240	51.1	73	700

XSG7300800	100 ~ 240	58.4	73	800
XSG7300900	100 ~ 240	65.7	73	900
XSG7301000	100 ~ 240	73.0	73	1000
XSG7301250	100 ~ 240	91.3	73	1250
XSG7301500	100 ~ 240	109.5	73	1500
XSG7301750	100 ~ 240	127.8	73	1750
XSG7302000	100 ~ 240	146.0	73	2000
XSG7302250	100 ~ 240	164.3	73	2250
XSG7302500	100 ~ 240	182.5	73	2500
XSG7302750	100 ~ 240	200.8	73	2750