



## Feature:

- \*Used for 1-17 series li-ion battery pack.
- \*Designed in USA, Made in China
- \*Global Certificates.
- \*Case Material: PC, GE brand
- \* Fanless Design.
- \* Fully sealed by ultrasonic welding.
- \*Capacitor imported from Taiwan.
- \*Desktop type and Wall plug type(support Interchangeable plug, EU, UK, US, AU, KR, JP, and CN Optional).
- \*Protection: Over Load/Over Voltage/Over Current/Over Temp/Short-Circuit/Reverse Polarity/Anti-flow
- \*LED indicator show work status, Red for Charging, Green for Charged full.
- \*Comply With The Newest Safety Standard: IEC62368, IEC60950, IEC61558, IEC60335.
- \*Brand Power Cord and DC Wire matched our products.
- \*Customized Label and DC connector.

## Electric Parameter:


DC output	Battery Pack(series)	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	
	Max Charging Voltage(V)	4.2	8.4	12.6	16.8	21	25.2	29.4	33.6	37.8	42	46.2	50.4	54.6	58.8	63	67.2	71.4	
	Voltage Tolerance	±5%	±5%	±5%	±5%	±5%	±5%	±5%	±5%	±5%	±5%	±4%	±4%	±4%	±4%	±3%	±3%	±3%	±3%
	Max Charging Current(A)	11	11	11	10	9	8	7	6	5	5	4.5	4	3.75	3.5	3.25	3	2.75	
	Charging Mode	Smart Three Stage Charging Mode																	
	LED Indicator	Red for Charging, Green for Charged full																	
	DC connector	Normal DC connector: 5.5*2.1,5.5*2.5,3.5*1.35,7.4*5.1,4.8*1.7,Customized DC connector: alligator clip, XLR connector, Air plug, Anderson, TX40/60, SAE connector etc.																	
AC Input	Input Voltage Range	90~264Vac																	
	Rated Input Voltage:	100-240Vac																	
	Frequency Range:	47~62hz																	
	Input Current Max:	0.6-3A																	
	Inrush Current:	35A Max/240V																	
	Leakage Current:	<0.25mA/240V																	
Protection	Over Load	When output power between 110%-135% of rated output power, turns to Hiccup mode.																	
	Over Voltage	When output voltage between 110%-135% of rated output voltage, turns to Hiccup mode.																	
	Short Circuit	Hiccup mode, recovers automatically after fault condition is removed																	
	Reverse Polarity	Stop working until fault condition is removed																	
	Anti-Flow	Prevent battery power flowing backward to charger.																	
Environment	Operating Temp:	0°C ~ +45°C																	
	Storage Temp:	-30°C ~ +70°C																	

	Relative Humidity:	10%~90%
	Vibration and Shock	Meet MIL-STD-810D
Safety	Safety Standard	IEC62368,IEC60065,IEC60950,IEC61558,IEC60335
	EMC/EMI	Meet FCC CLASS B,EN55022 CLASS B.
	EMS	EN61000—4—2/3/4/5
	Drop Testing	3 drops from 1 m height on a hard wooden surface
	A Harmonic source	Pass
Life Time	MTBF	50000 Hours
	Warranty	3 years



If the Power Rate of battery charger drop into below range, please refer to related solution.

Power Rate	5-15W	16-24W	25-36W	37-65W	66W-100W	101-135W	136-220W
Recommend Solution	See drawing at page 3	See drawing at page 4	See drawing at page 5	See drawing at page 6	See drawing at page 6	See drawing at page 7	See drawing at page 7



## Drawing(mm): 5-15W




## Drawing(mm): 16-24W




## Drawing(mm): 25-36W




## Drawing(mm): 37-65W




## Drawing(mm): 66-100W



## Drawing(mm): 101-135W




## Drawing(mm): 136-220W



## Model List:

Model Name instruction:

E.G.: XSG xxx yyyy zz



Model No	AC Input	Power Rate	Output Voltage(V)	Output Current(mA)
XSG0420300	100 ~ 240	1.3	4.2	300
XSG0420400	100 ~ 240	1.7	4.2	400
XSG0420500	100 ~ 240	2.1	4.2	500
XSG0420600	100 ~ 240	2.5	4.2	600
XSG0420700	100 ~ 240	2.9	4.2	700
XSG0420800	100 ~ 240	3.4	4.2	800
XSG0420900	100 ~ 240	3.8	4.2	900
XSG0421000	100 ~ 240	4.2	4.2	1000
XSG0421500	100 ~ 240	6.3	4.2	1500
XSG0422000	100 ~ 240	8.4	4.2	2000
XSG0422500	100 ~ 240	10.5	4.2	2500
XSG0423000	100 ~ 240	12.6	4.2	3000



XSG0423500	100 ~ 240	14.7	4.2	3500
XSG0424000	100 ~ 240	16.8	4.2	4000
XSG0424500	100 ~ 240	18.9	4.2	4500
XSG0425000	100 ~ 240	21.0	4.2	5000
XSG0426000	100 ~ 240	25.2	4.2	6000
XSG0426500	100 ~ 240	27.3	4.2	6500
XSG0427000	100 ~ 240	29.4	4.2	7000
XSG0427500	100 ~ 240	31.5	4.2	7500
XSG0428000	100 ~ 240	33.6	4.2	8000
XSG0428500	100 ~ 240	35.7	4.2	8500
XSG0429000	100 ~ 240	37.8	4.2	9000
XSG0429500	100 ~ 240	39.9	4.2	9500
XSG04210000	100 ~ 240	42.0	4.2	10000
XSG0840300	100 ~ 240	2.5	8.4	300
XSG0840400	100 ~ 240	3.4	8.4	400
XSG0840500	100 ~ 240	4.2	8.4	500
XSG0840600	100 ~ 240	5.0	8.4	600
XSG0840700	100 ~ 240	5.9	8.4	700
XSG0840800	100 ~ 240	6.7	8.4	800
XSG0840900	100 ~ 240	7.6	8.4	900
XSG0841000	100 ~ 240	8.4	8.4	1000
XSG0841200	100 ~ 240	10.1	8.4	1200

XSG0841500	100 ~ 240	12.6	8.4	1500
XSG0842000	100 ~ 240	16.8	8.4	2000
XSG0842500	100 ~ 240	21.0	8.4	2500
XSG0843000	100 ~ 240	25.2	8.4	3000
XSG0843500	100 ~ 240	29.4	8.4	3500
XSG0844000	100 ~ 240	33.6	8.4	4000
XSG0844500	100 ~ 240	37.8	8.4	4500
XSG0845000	100 ~ 240	42.0	8.4	5000
XSG0845500	100 ~ 240	46.2	8.4	5500
XSG0846000	100 ~ 240	50.4	8.4	6000
XSG0846500	100 ~ 240	54.6	8.4	6500
XSG0847000	100 ~ 240	58.8	8.4	7000
XSG0847500	100 ~ 240	63.0	8.4	7500
XSG0848000	100 ~ 240	67.2	8.4	8000
XSG0848500	100 ~ 240	71.4	8.4	8500
XSG0849000	100 ~ 240	75.6	8.4	9000
XSG0849500	100 ~ 240	79.8	8.4	9500
XSG08410000	100 ~ 240	84.0	8.4	10000
XSG1260300	100 ~ 240	3.8	12.6	300
XSG1260400	100 ~ 240	5.0	12.6	400
XSG1260500	100 ~ 240	6.3	12.6	500
XSG1260600	100 ~ 240	7.6	12.6	600

XSG1260700	100 ~ 240	8.8	12.6	700
XSG1260800	100 ~ 240	10.1	12.6	800
XSG1260900	100 ~ 240	11.3	12.6	900
XSG1261000	100 ~ 240	12.6	12.6	1000
XSG1261200	100 ~ 240	15.1	12.6	1200
XSG1261500	100 ~ 240	18.9	12.6	1500
XSG1261800	100 ~ 240	22.7	12.6	1800
XSG1262000	100 ~ 240	25.2	12.6	2000
XSG1262500	100 ~ 240	31.5	12.6	2500
XSG1263000	100 ~ 240	37.8	12.6	3000
XSG1263500	100 ~ 240	44.1	12.6	3500
XSG1264000	100 ~ 240	50.4	12.6	4000
XSG1264500	100 ~ 240	56.7	12.6	4500
XSG1265000	100 ~ 240	63.0	12.6	5000
XSG1265500	100 ~ 240	69.3	12.6	5500
XSG1266000	100 ~ 240	75.6	12.6	6000
XSG1266500	100 ~ 240	81.9	12.6	6500
XSG1267000	100 ~ 240	88.2	12.6	7000
XSG1267500	100 ~ 240	94.5	12.6	7500
XSG1268000	100 ~ 240	100.8	12.6	8000
XSG1268500	100 ~ 240	107.1	12.6	8500
XSG1269000	100 ~ 240	113.4	12.6	9000

XSG1269500	100 ~ 240	119.7	12.6	9500
XSG12610000	100 ~ 240	126.0	12.6	10000
XSG12611000	100-240	138.6	12.6	11000
XSG1680300	100 ~ 240	5.0	16.8	300
XSG1680400	100 ~ 240	6.7	16.8	400
XSG1680500	100 ~ 240	8.4	16.8	500
XSG1680600	100 ~ 240	10.1	16.8	600
XSG1680700	100 ~ 240	11.8	16.8	700
XSG1680800	100 ~ 240	13.4	16.8	800
XSG1680900	100 ~ 240	15.1	16.8	900
XSG1681000	100 ~ 240	16.8	16.8	1000
XSG1681200	100 ~ 240	20.2	16.8	1200
XSG1681500	100 ~ 240	25.2	16.8	1500
XSG1681800	100 ~ 240	30.2	16.8	1800
XSG1682000	100 ~ 240	33.6	16.8	2000
XSG1682500	100 ~ 240	42.0	16.8	2500
XSG1683000	100 ~ 240	50.4	16.8	3000
XSG1683500	100 ~ 240	58.8	16.8	3500
XSG1683750	100 ~ 240	63.0	16.8	3750
XSG1684000	100 ~ 240	67.2	16.8	4000
XSG1684500	100 ~ 240	75.6	16.8	4500
XSG1685000	100 ~ 240	84.0	16.8	5000

XSG1685500	100 ~ 240	92.4	16.8	5500
XSG1686000	100 ~ 240	100.8	16.8	6000
XSG1686500	100 ~ 240	109.2	16.8	6500
XSG1687000	100 ~ 240	117.6	16.8	7000
XSG1687500	100 ~ 240	126.0	16.8	7500
XSG1688000	100 ~ 240	134.4	16.8	8000
XSG1688500	100 ~ 240	142.8	16.8	8500
XSG1689000	100 ~ 240	151.2	16.8	9000
XSG1689500	100 ~ 240	159.6	16.8	9500
XSG16810000	100 ~ 240	168.0	16.8	10000
XSG2100300	100 ~ 240	6.3	21	300
XSG2100400	100 ~ 240	8.4	21	400
XSG2100500	100 ~ 240	10.5	21	500
XSG2100600	100 ~ 240	12.6	21	600
XSG2100700	100 ~ 240	14.7	21	700
XSG2100800	100 ~ 240	16.8	21	800
XSG2100900	100 ~ 240	18.9	21	900
XSG2101000	100 ~ 240	21.0	21	1000
XSG2101200	100 ~ 240	25.2	21	1200
XSG2101500	100 ~ 240	31.5	21	1500
XSG2101700	100 ~ 240	35.7	21	1700
XSG2102000	100 ~ 240	42.0	21	2000

XSG2102200	100 ~ 240	46.2	21	2200
XSG2102500	100 ~ 240	52.5	21	2500
XSG2103000	100 ~ 240	63.0	21	3000
XSG2103500	100 ~ 240	73.5	21	3500
XSG2104000	100 ~ 240	84.0	21	4000
XSG2104500	100 ~ 240	94.5	21	4500
XSG2105000	100 ~ 240	105.0	21	5000
XSG2105500	100-240	115.5	21	5500
XSG2106000	100 ~ 240	126.0	21	6000
XSG2106500	100 ~ 240	136.5	21	6500
XSG2107000	100 ~ 240	147.0	21	7000
XSG2107500	100 ~ 240	157.5	21	7500
XSG2108000	100 ~ 240	168.0	21	8000
XSG2108500	100 ~ 240	178.5	21	8500
XSG2109000	100 ~ 240	189.0	21	9000
XSG2520300	100 ~ 240	7.6	25.2	300
XSG2520400	100 ~ 240	10.1	25.2	400
XSG2520500	100 ~ 240	12.6	25.2	500
XSG2520600	100 ~ 240	15.1	25.2	600
XSG2520700	100 ~ 240	17.6	25.2	700
XSG2520800	100 ~ 240	20.2	25.2	800
XSG2520900	100 ~ 240	22.7	25.2	900

XSG2521000	100 ~ 240	25.2	25.2	1000
XSG2521250	100 ~ 240	31.5	25.2	1250
XSG2521500	100 ~ 240	37.8	25.2	1500
XSG2522000	100 ~ 240	50.4	25.2	2000
XSG2522500	100 ~ 240	63.0	25.2	2500
XSG2523000	100 ~ 240	75.6	25.2	3000
XSG2523500	100 ~ 240	88.2	25.2	3500
XSG2524000	100 ~ 240	100.8	25.2	4000
XSG2524500	100 ~ 240	113.4	25.2	4500
XSG2525000	100 ~ 240	126.0	25.2	5000
XSG2525500	100-240	138.6	25.2	5500
XSG2526000	100 ~ 240	151.2	25.2	6000
XSG2526500	100 ~ 240	163.8	25.2	6500
XSG2527000	100 ~ 240	176.4	25.2	7000
XSG2527500	100 ~ 240	189.0	25.2	7500
XSG2528000	100 ~ 240	201.6	25.2	8000
XSG2940300	100 ~ 240	8.8	29.4	300
XSG2940400	100 ~ 240	11.8	29.4	400
XSG2940500	100 ~ 240	14.7	29.4	500
XSG2940600	100 ~ 240	17.6	29.4	600
XSG2940700	100 ~ 240	20.6	29.4	700
XSG2940800	100 ~ 240	23.5	29.4	800

XSG2940900	100 ~ 240	26.5	29.4	900
XSG2941000	100 ~ 240	29.4	29.4	1000
XSG2941250	100 ~ 240	36.8	29.4	1250
XSG2941500	100 ~ 240	44.1	29.4	1500
XSG2941750	100 ~ 240	51.5	29.4	1750
XSG2942000	100 ~ 240	58.8	29.4	2000
XSG2942500	100 ~ 240	73.5	29.4	2500
XSG2943000	100 ~ 240	88.2	29.4	3000
XSG2943500	100 ~ 240	102.9	29.4	3500
XSG2944000	100 ~ 240	117.6	29.4	4000
XSG2944500	100 ~ 240	132.3	29.4	4500
XSG2945000	100 ~ 240	147.0	29.4	5000
XSG2945500	100 ~ 240	161.7	29.4	5500
XSG2946000	100 ~ 240	176.4	29.4	6000
XSG2946500	100 ~ 240	191.1	29.4	6500
XSG2947000	100 ~ 240	205.8	29.4	7000
XSG3360300	100 ~ 240	10.1	33.6	300
XSG3360400	100 ~ 240	13.4	33.6	400
XSG3360500	100 ~ 240	16.8	33.6	500
XSG3360600	100 ~ 240	20.2	33.6	600
XSG3360700	100 ~ 240	23.5	33.6	700
XSG3360800	100 ~ 240	26.9	33.6	800



XSG3360900	100 ~ 240	30.2	33.6	900
XSG3361000	100 ~ 240	33.6	33.6	1000
XSG3361500	100 ~ 240	50.4	33.6	1500
XSG3361900	100 ~ 240	63.8	33.6	1900
XSG3362000	100 ~ 240	67.2	33.6	2000
XSG3362500	100 ~ 240	84.0	33.6	2500
XSG3362750	100 ~ 240	92.4	33.6	2750
XSG3363000	100 ~ 240	100.8	33.6	3000
XSG3363250	100 ~ 240	109.2	33.6	3250
XSG3363500	100 ~ 240	117.6	33.6	3500
XSG3364000	100 ~ 240	134.4	33.6	4000
XSG3364500	100 ~ 240	151.2	33.6	4500
XSG3365000	100 ~ 240	168.0	33.6	5000
XSG3365500	100 ~ 240	184.8	33.6	5500
XSG3366000	100 ~ 240	201.6	33.6	6000
XSG3780300	100 ~ 240	11.3	37.8	300
XSG3780400	100 ~ 240	15.1	37.8	400
XSG3780500	100 ~ 240	18.9	37.8	500
XSG3780600	100 ~ 240	22.7	37.8	600
XSG3780700	100 ~ 240	26.5	37.8	700
XSG3780800	100 ~ 240	30.2	37.8	800
XSG3780900	100 ~ 240	34.0	37.8	900

XSG3781000	100 ~ 240	37.8	37.8	1000
XSG3781500	100 ~ 240	56.7	37.8	1500
XSG3781700	100 ~ 240	64.3	37.8	1700
XSG3782000	100 ~ 240	75.6	37.8	2000
XSG3782500	100 ~ 240	94.5	37.8	2500
XSG3783000	100 ~ 240	113.4	37.8	3000
XSG3783500	100 ~ 240	132.3	37.8	3500
XSG3784000	100 ~ 240	151.2	37.8	4000
XSG3784500	100 ~ 240	170.1	37.8	4500
XSG3785000	100 ~ 240	189.0	37.8	5000
XSG4200300	100 ~ 240	12.6	42	300
XSG4200400	100 ~ 240	16.8	42	400
XSG4200500	100 ~ 240	21.0	42	500
XSG4200600	100 ~ 240	25.2	42	600
XSG4200700	100 ~ 240	29.4	42	700
XSG4200800	100 ~ 240	33.6	42	800
XSG4200900	100 ~ 240	37.8	42	900
XSG4201000	100 ~ 240	42.0	42	1000
XSG4201250	100 ~ 240	52.5	42	1250
XSG4201500	100 ~ 240	63.0	42	1500
XSG4201750	100 ~ 240	73.5	42	1750
XSG4202000	100 ~ 240	84.0	42	2000

XSG4202250	100 ~ 240	94.5	42	2250
XSG4202500	100 ~ 240	105.0	42	2500
XSG4203000	100 ~ 240	126.0	42	3000
XSG4203500	100 ~ 240	147.0	42	3500
XSG4204000	100 ~ 240	168.0	42	4000
XSG4204500	100 ~ 240	189.0	42	4500
XSG4205000	100 ~ 240	210.0	42	5000
XSG4620300	100 ~ 240	13.9	46.2	300
XSG4620400	100 ~ 240	18.5	46.2	400
XSG4620500	100 ~ 240	23.1	46.2	500
XSG4620600	100 ~ 240	27.7	46.2	600
XSG4620700	100 ~ 240	32.3	46.2	700
XSG4620800	100 ~ 240	37.0	46.2	800
XSG4620900	100 ~ 240	41.6	46.2	900
XSG4621000	100 ~ 240	46.2	46.2	1000
XSG4621250	100 ~ 240	57.8	46.2	1250
XSG4621400	100 ~ 240	64.7	46.2	1400
XSG4621500	100 ~ 240	69.3	46.2	1500
XSG4622000	100 ~ 240	92.4	46.2	2000
XSG4622500	100 ~ 240	115.5	46.2	2500
XSG4622750	100 ~ 240	127.1	46.2	2750
XSG4623000	100 ~ 240	138.6	46.2	3000

XSG4623500	100 ~ 240	161.7	46.2	3500
XSG4624000	100 ~ 240	184.8	46.2	4000
XSG5040300	100 ~ 240	15.1	50.4	300
XSG5040400	100 ~ 240	20.2	50.4	400
XSG5040500	100 ~ 240	25.2	50.4	500
XSG5040600	100 ~ 240	30.2	50.4	600
XSG5040700	100 ~ 240	35.3	50.4	700
XSG5040800	100 ~ 240	40.3	50.4	800
XSG5040900	100 ~ 240	45.4	50.4	900
XSG5041000	100 ~ 240	50.4	50.4	1000
XSG5041250	100 ~ 240	63.0	50.4	1250
XSG5041500	100 ~ 240	75.6	50.4	1500
XSG5042000	100 ~ 240	100.8	50.4	2000
XSG5042500	100 ~ 240	126.0	50.4	2500
XSG5042750	100 ~ 240	138.6	50.4	2750
XSG5043000	100 ~ 240	151.2	50.4	3000
XSG5043500	100 ~ 240	176.4	50.4	3500
XSG5044000	100 ~ 240	201.6	50.4	4000
XSG5460300	100 ~ 240	16.4	54.6	300
XSG5460400	100 ~ 240	21.8	54.6	400
XSG5460500	100 ~ 240	27.3	54.6	500
XSG5460600	100 ~ 240	32.8	54.6	600

XSG5460700	100 ~ 240	38.2	54.6	700
XSG5460800	100 ~ 240	43.7	54.6	800
XSG5460900	100 ~ 240	49.1	54.6	900
XSG5461000	100 ~ 240	54.6	54.6	1000
XSG5461150	100 ~ 240	62.8	54.6	1150
XSG5461250	100 ~ 240	68.3	54.6	1250
XSG5461500	100 ~ 240	81.9	54.6	1500
XSG5461750	100 ~ 240	95.6	54.6	1750
XSG5462000	100 ~ 240	109.2	54.6	2000
XSG5462500	100 ~ 240	136.5	54.6	2500
XSG5462750	100 ~ 240	150.2	54.6	2750
XSG5463000	100 ~ 240	163.8	54.6	3000
XSG5463250	100 ~ 240	177.5	54.6	3250
XSG5463500	100 ~ 240	191.1	54.6	3500
XSG5463700	100 ~ 240	202.0	54.6	3700
XSG5463750	100 ~ 240	204.8	54.6	3750
XSG5880300	100 ~ 240	17.6	58.8	300
XSG5880400	100 ~ 240	23.5	58.8	400
XSG5880500	100 ~ 240	29.4	58.8	500
XSG5880600	100 ~ 240	35.3	58.8	600
XSG5880700	100 ~ 240	41.2	58.8	700
XSG5880800	100 ~ 240	47.0	58.8	800

XSG5880900	100 ~ 240	52.9	58.8	900
XSG5881000	100 ~ 240	58.8	58.8	1000
XSG5881100	100 ~ 240	64.7	58.8	1100
XSG5881250	100 ~ 240	73.5	58.8	1250
XSG5881500	100 ~ 240	88.2	58.8	1500
XSG5881750	100 ~ 240	102.9	58.8	1750
XSG5882000	100 ~ 240	117.6	58.8	2000
XSG5882250	100 ~ 240	132.3	58.8	2250
XSG5882500	100 ~ 240	147.0	58.8	2500
XSG5882750	100 ~ 240	161.7	58.8	2750
XSG5883000	100 ~ 240	176.4	58.8	3000
XSG5883250	100 ~ 240	191.1	58.8	3250
XSG5883500	100 ~ 240	205.8	58.8	3500
XSG6300300	100 ~ 240	18.9	63	300
XSG6300400	100 ~ 240	25.2	63	400
XSG6300500	100 ~ 240	31.5	63	500
XSG6300600	100 ~ 240	37.8	63	600
XSG6300700	100 ~ 240	44.1	63	700
XSG6300800	100 ~ 240	50.4	63	800
XSG6300900	100 ~ 240	56.7	63	900
XSG6301000	100 ~ 240	63.0	63	1000
XSG6301250	100 ~ 240	78.8	63	1250

XSG6301500	100 ~ 240	94.5	63	1500
XSG6301750	100 ~ 240	110.3	63	1750
XSG6302000	100 ~ 240	126.0	63	2000
XSG6302250	100 ~ 240	141.8	63	2250
XSG6302500	100 ~ 240	157.5	63	2500
XSG6302750	100 ~ 240	173.3	63	2750
XSG6303000	100 ~ 240	189.0	63	3000
XSG6303250	100 ~ 240	204.8	63	3250
XSG6720300	100 ~ 240	20.2	67.2	300
XSG6720400	100 ~ 240	26.9	67.2	400
XSG6720500	100 ~ 240	33.6	67.2	500
XSG6720600	100 ~ 240	40.3	67.2	600
XSG6720700	100 ~ 240	47.0	67.2	700
XSG6720800	100 ~ 240	53.8	67.2	800
XSG6720900	100 ~ 240	60.5	67.2	900
XSG6721000	100 ~ 240	67.2	67.2	1000
XSG6721250	100 ~ 240	84.0	67.2	1250
XSG6721500	100 ~ 240	100.8	67.2	1500
XSG6721750	100 ~ 240	117.6	67.2	1750
XSG6722000	100 ~ 240	134.4	67.2	2000
XSG6722250	100 ~ 240	151.2	67.2	2250
XSG6722500	100 ~ 240	168.0	67.2	2500

XSG6722750	100 ~ 240	184.8	67.2	2750
XSG6723000	100 ~ 240	201.6	67.2	3000
XSG7140300	100 ~ 240	21.4	71.4	300
XSG7140400	100 ~ 240	28.6	71.4	400
XSG7140500	100 ~ 240	35.7	71.4	500
XSG7140600	100 ~ 240	42.8	71.4	600
XSG7140700	100 ~ 240	50.0	71.4	700
XSG7140800	100 ~ 240	57.1	71.4	800
XSG7140900	100 ~ 240	64.3	71.4	900
XSG7141000	100 ~ 240	71.4	71.4	1000
XSG7141250	100 ~ 240	89.3	71.4	1250
XSG7141500	100 ~ 240	107.1	71.4	1500
XSG7141750	100 ~ 240	125.0	71.4	1750
XSG7142000	100 ~ 240	142.8	71.4	2000
XSG7142250	100 ~ 240	160.7	71.4	2250
XSG7142500	100 ~ 240	178.5	71.4	2500
XSG7142750	100 ~ 240	196.4	71.4	2750