



Product Service

Attestation of Conformity

No. N8A 094747 0098 Rev. 00

Holder of Attestation: **Xinsu Global Electronic Co., Limited**
Unit 2508A, 25/F Bank Of America Tower, 12 Harcourt Road
Central
HONG KONG

Product: **Switching power supply unit**
(SWITCHING POWER SUPPLY/CHARGER)

This Attestation of Conformity is issued on a voluntary basis according to the Low Voltage Directive 2014/35/EU relating to electrical equipment designed for use within certain voltage limits. It confirms that the listed equipment complies with the principal protection requirements of the directive and is based on the technical specifications applicable at the time of issuance. It refers only to the particular sample submitted for conformity assessment. For details see: www.tuvsud.com/ps-cert

Test report no.: 64210220502401

Date, 2023-01-13

(Richard Zhu)

Page 1 of 3

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



TUV®



Product Service

Attestation of Conformity

No. N8A 094747 0098 Rev. 00

Model(s):

XSECxxxaaaazz, XSGxxxaaaazz, XSExxxaaaazz,
 XSECxxxaaaa, XSGxxxaaaa, XSExxxaaaa
 (xxx = 240-880 stands for the rated output voltage 24.0-88.0VDC with step of 0.1V; aaaa = 4000-9990 stands for the rated output current 4.0-9.99A with step of 0.01A; zz = MM, WW, EU, UK stands for different supply connection, zz for MM or WW stands for appliance inlet with type C14 models, for marketing purpose, no constructional differences, zz for EU stands for non-detachable power supply cord with European plug, zz for UK stands for non-detachable power supply cord with United Kingdom plug.)

XSECxxxaaaazz, XSGxxxaaaazz, XSExxxaaaazz,
 XSECxxxaaaa, XSGxxxaaaa, XSExxxaaaa
 (xxx = 120-380 stands for the rated output voltage 12.0-38.0VDC with step of 0.1V; aaaa = 10000-20000 stands for the rated output current 10.0-20.0A with step of 0.01A; zz = MM, WW, EU, UK stands for different supply connection, zz for MM or WW stands for appliance inlet with type C14 models, for marketing purpose, no constructional differences, zz for EU stands for non-detachable power supply cord with European plug, zz for UK stands for non-detachable power supply cord with United Kingdom plug.)

Brand:

Xinsu Global



Parameters:

Rated Input: 100-240VAC, 50/60Hz, 5.0A Max
 Rated Output: See below table for details
 Protection Class: I
 Degree of Protection: IP20

Page 2 of 3

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.





Product Service

Attestation of Conformity

No. N8A 094747 0098 Rev. 00

Model Name	Rated output voltage range (VDC)	Rated output current range (A)	Max. output power (W)
XSECxxxxaaaazz, XSGxxxxaaaazz, XSExxxxaaaazz, XSECxxxxaaaa, XSGxxxxaaaa, XSExxxxaaaa	24.0-38.0	6.0-9.99	378.0
	38.1-58.0	5.5-9.44	360.0
	58.1-88.0	4.0-6.2	360.0

Model Name	Rated output voltage range (VDC)	Rated output current range (A)	Max. output power (W)
XSECxxxxaaaazz, XSGxxxxaaaazz, XSExxxxaaaazz, XSECxxxxaaaa, XSGxxxxaaaa, XSExxxxaaaa	12.0-16.8	10.0-20.0	292.0
	16.9-23.9	10.0-18.0	330.0
	24.0-38.0	10.0-15.0	378.0

Tested according to:

EN 62368-1:2014/A11:2017

Page 3 of 3

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.

